

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

053823
.U53
Cop. 2

Cooperative PLANT PEST REPORT

Incomplete

PROCUREMENT
CURRENT GENERAL RECORDS

APR 20

U.S. DEPT. OF AGRICULTURE
NATL. AGRIC. LIBRARY
RECEIVED



Animal
and Plant
Health
Inspection
Service

U.S.
DEPARTMENT
OF AGRICULTURE



This publication is distributed weekly to Federal and State agencies, universities, farmers, and others interested in containing or controlling pests in the United States.

Data included in this publication are compiled from reports submitted by cooperating State, Federal and other agricultural and industrial specialists. Accuracy of the reports is not verified prior to publication.

Cooperative Plant Pest Report supersedes *Cooperative Economic Insect Report*, which was discontinued with Volume 25, Numbers 49-52, 1975.

Correspondence should be directed to:

CPPR

New Pest Detection and Survey Staff
Plant Protection and Quarantine Programs
Animal and Plant Health Inspection Service
U.S. Department of Agriculture
Federal Building #1
Hyattsville, Maryland 20782

We cannot make address changes
unless we have your mailing code

COOPERATIVE PLANT PEST REPORT

Volume 1

Index

1976

SPECIAL REPORTS

Apis spp., honey bees likely to be intercepted at quarantine stations 900-902

Boll weevil: Survival survey - spring 1976, Washington County, Mississippi 110-111

Cockroaches of Southeastern United States and the name "Palmettobug," Notes on several 823-826

Cooperative survey entomologists 73-75

Cutworms, Geographical distribution and economic importance of black, glassy, and bronzed 173-179

European corn borer: Estimates of damage to grain corn in the U.S. in 1975 873-874, status in 1975 397-404

Fruit fly research needs and plans in the Western Hemisphere 155-157

Grasshopper adult survey, fall 1975 124

Gypsy moth: Correct name 83-84, number of pheromone traps placed in 1975 (map) 258-259

Hawaii pest report 10-11, 43, 51, 59, 67, 82, 94, 103, 114, 125, 138, 153, 169, 209, 223, 245, 265, 279, 303, 326, 347, 372, 394, 422, 445, 468, 492, 516, 538, 556, 580, 598, 612, 629, 647, 678, 764-765, 799, 844, 869

Insect detection in the United States - 1975 13-21

Leafminer flies: Additional data on Phytomyza ilicis-ilicicola group 767-770, new species on mealycup sage 820-822

Light trap collections 138, 154, 171, 194, 210, 224, 246, 266, 286, 304, 328, 348, 374-375, 395-396, 423, 446-447, 470-471, 494-495, 518-519, 540-541, 562-563, 581, 599, 614, 631, 648, 679, 721, 766, 800, 847

Losses: Estimated losses and production costs attributed to insects and related arthropods - 1974 22-36, in 1975 875-893

Maps (distribution): Alfalfa weevil 896, cereal leaf beetle 848, mimosa webworm 376, range caterpillar 652, southwestern corn borer 44

Maps (quarantine): Imported fire ant 20 and 690, Japanese beetle 576, pink bollworm 188, witchweed 318

Mediterranean fruit fly: Impact in Central America 117-118, Mexico-U.S. cooperative program 127-129

Oriental fruit fly eradication - San Diego, California 141-142

Pest interceptions of quarantine significance at ports of entry 448, 472, 496, 520, 542, 564, 582, 600, 615, 632, 649, 680, 722, 786, 801, 850, 894-895

Pests not known to occur in the United States: Pacific rice chinch bug 897-899

Scientific name changes: Correct name for gypsy moth 83-84

Shield bugs, New geographical and seasonal distribution records for thirty-one species of Virginia 747-751

Spider mites from Michigan 827-830

State survey coordinators 69-72

Summary of insect conditions in the U.S. - 1975: Beans and peas 731-733. Beneficial insects 803-807. Citrus 742-743. Cole crops 733-735. Contributors 816. Corn, sorghum, sugarcane 683-695. Cotton 723-725. Cucurbits 735. Deciduous fruits and nuts 736-741. Federal and State plant protection programs 807-815. Forage legumes 700-708. Forest and shade trees 775-780. Forest insect and disease highlights 771-774. General vegetables 735-736. Households and structures 785. Introduction 653. Man and animals 781-785. Miscellaneous field crops 726-727. Ornamentals 744-745. Peanuts 711-712. Potatoes, tomatoes, peppers 727-730. Small fruits 742-743. Small grains 695-697. Soybeans 708-711. Special insects of regional significance 653-666. Sugar beets 726. Tobacco 725-726. Turf, pastures, rangeland 697-699.

Tabanids, New geographical and seasonal distribution records for fifty-three species and subspecies of Virginia 853-858

Utetheisa pulchella (L.), an Old World species in the Western Hemisphere and characters for its recognition, New records 817-819

Authors of some special reports: Allen, W.A. 747-751, 853-858. Baker, E.W. 827-830. Batra, S.W.T. 900-902. Cleveland, M.L. 155-157. Ferguson, D.C. 83-84. Gurney, A.B. 823-826. Hernandez Albarran, M. 127-129. Herring, J.L. 897-899. Hoffman, R.L. 747-751. Keaster, A.J. 173-179. Luckmann, W.H. 173-179. Meyer Arevalo, C. 117-118. Musick, G.J. 173-179. Pechuman, L.L. 853-858. Philips, F.M. 141-142. Rings, R.W. 173-179. Rios Martinez, E. 117-118. Steyskal, G.C. 767-770, 820-822. Todd, E.L. 817-819. Tuttle, D.M. 827-830. Walker, J.J. 823-826.

Under each letter of the alphabet, names are grouped according to their pest category. The pest categories are as follows: DISEASES; INSECTS, including other arthropods; SLUGS AND SNAILS; and WEEDS, including parasitic plants. Scientific names should be used to locate all page references, except for those pests or groups of pests where scientific names were not reported. In such instances, page references will be found under common names. A combination of common and scientific names of a pest may not appear on the page referred, but one or the other will be present. Underlined page numbers represent references to "Summary of Insect Conditions in the United States - 1975." Light trap collections for a particular species are listed at the end of pagination for that species under this heading.

DISEASES

Adelopus gaumanni

See Phaeocryptopus gaumanni

Albugo ipomoeae-panduratae (ipomoeae white rust) 557, 561

Alfalfa bacterial leaf spot (Xanthomonas alfalfae)

Alfalfa downy mildew (Peronospora trifoliorum)

Alfalfa rust (Uromyces striatus var. medicaginis)

Alternaria early blight (Alternaria solani)

Alternaria solani (alternaria early blight) 1/ 296, 339, 361, 461

American dagger nematode (Xiphinema americanum)

Annosus butt and root rot (Fomes annosus) 772

Aphanomyces euteiches (pea root rot) 236

Apple leucotricha powdery mildew (Podosphaera leucotricha)

Apple rust (Gymnosporangium nidus-avis)

Apple scab (Venturia inaequalis)

Arceuthobium americanum (lodgepole pine dwarfmistletoe) 774

Armillaria mellea (shoestring root rot) 112

Ascosphaera apis (chalkbrood) 242, 245, 806

Asparagus rust (Puccinia asparagi)

Aster yellows virus 229, 271, 291, 333

Azalea leaf gall (Exobasidium vaccinii)

INSECTS

Abgrallaspis cyanophylli (an armored scale) 7, 12

Acacia psyllid (Psylla uncatoides)

Acalitus vaccinii (blueberry bud mite) 167, 743

Acalymma vittatum (striped cucumber beetle) 187

Acheta domesticus (house cricket) 15

Acleris gloverana (western black-headed budworm) 773

Acleris minuta (yellowheaded fireworm) 609

Acontia dacia (brown cotton leafworm) 851, 857

Acordulecera dorsalis (a pergid sawfly) 390

Acrobasis nuxvorella (pecan nut case-bearer) 190, 205, 238, 260, 278, 319, 363, 439, 486, 511, 643, 736, 741

Acrolepia assectella (leek moth) 103, 580

Acrosternum hilare (green stink bug) 623, 711, 748, 793

Aculops lycopersici (tomato russet mite) 647

Aculus comatus (an eriophyid mite) 438

Aculus schlechtendali (apple rust mite) 609

Acuminate scale (Kilifia acuminata)

Acyrtosiphon kondoi (blue alfalfa aphid) 5, 13, 15, 80, 91, 101, 122, 133, 135, 148, 165, 188, 202-203, 218, 223, 234, 255, 275-276, 285, 294, 302, 315, 327, 337, 346, 359, 373, 385, 388, 413, 434, 438, 622, 630, 638, 797, 804

Acyrtosiphon pisum (pea aphid) 65, 80, 91, 101, 122, 133, 148, 161, 165, 188, 202-203, 218, 226, 234, 236, 255, 275-276, 294, 315, 337, 359, 385, 386, 388, 413, 416, 430, 434, 438, 459, 462, 482, 506, 552, 591, 603, 606, 621, 671, 707, 708, 717, 758, 793, 804, 833, 836

Acyrtosiphon porosum (yellow rose aphid) 11

Acyrtosiphon solani (foxglove aphid) 362

Adelges abietis (eastern spruce gall aphid) 206, 240, 777

Adelges cooleyi (Cooley spruce gall aphid) 206, 240, 390, 642

Adelges piceae (balsam woolly aphid) 771, 775, 777

Adelphocoris lineolatus (alfalfa plant bug) 359, 386, 552, 707

Adoretus sinicus (Chinese rose beetle) 11, 265, 799, 844

Aedes spp. 241

Aedes abserratus 392

Aedes aegypti (yellowfever mosquito) 781, 782

Aedes atlanticus 343, 392

Aedes canadensis 367, 392, 419, 443, 579

Aedes cantator (brown saltmarsh mosquito) 137, 152, 719

1/ Also carried as early blight in Vol. 1.

- Aedes cinereus
282, 299, 367, 392, 419, 579
- Aedes excrucians
192, 343, 367, 392, 419, 443
- Aedes hendersoni
392
- Aedes implicatus
192
- Aedes infirmatus
7, 12, 392
- Aedes sollicitans (saltmarsh mosquito) 152, 323, 443, 489, 579, 596, 643, 719, 782
- Aedes sticticus (floodwater mosquito) 192, 299, 781
- Aedes stimulans
192, 343, 367, 392, 442, 465
- Aedes taeniorhynchus
263, 782
- Aedes tormentor
343
- Aedes trichurus
192
- Aedes triseriatus
392, 419, 514, 579, 596
- Aedes trivittatus
536, 559, 579
- Aedes vexans (vexans mosquito)
299, 367, 392, 442-443, 465, 514, 559, 579, 596, 611, 643, 781, 782, 797
- Agathis acrobasidis (a braconid wasp)
15, 643
- Ageneotettix deorum (a grasshopper)
125, 264, 283, 301, 370, 393, 421, 645, 810
- Agilus anxius (bronze birch borer)
320, 327, 488, 493, 775, 779
- Agilus aurichalceus (rose stem girdler) 15, 718
- Agilus bilineatus (twolined chestnut borer) 775, 779
- Agromyza frontella (alfalfa blotch leafminer) 15, 203, 218, 234, 255, 276, 294, 315, 413, 416, 434, 458, 531, 572, 591, 606, 621, 638, 700, 705-706
- Agromyza parvicornis (corn blotch leafminer) 694
- Agrotis ipsilon (black cutworm)
145, 148, 162, 173-179, 200, 216, 230, 252, 255, 272, 292, 303, 311, 335, 356, 383, 555, 612, 673, 683, 689-690, 727, 728, 734. Light traps: 138, 154, 171, 194, 210, 224, 246, 266, 286, 304, 328, 348, 374-375, 395, 396, 423, 424, 446-447, 470-471, 494, 518-519, 540, 562-563, 581, 599, 614, 631, 648, 679, 721, 766, 800, 847
- Agrotis orthogonia (pale western cutworm) 109, 134, 162, 185, 696
- Aleurocanthus spiniferus (orange spiny whitefly) 43, 94, 245, 347, 445, 492, 765
- Aleurocanthus woglumi (citrus blackfly) 51, 52, 59, 82, 93, 137, 153, 420, 438, 444, 644, 801, 894
- Aleurodicus n.sp., New genus near (a whitefly) 786
- Aleurodicus dispersus
744, 745
- Aleuroplatus berbericolus (a whitefly) 150, 154
- Aleurothrixus floccosus (woolly whitefly) 94, 839, 868
- Aleyrodes spiraeoides (a whitefly) 640
- Alfalfa blotch leafminer (Agromyza frontella)
- Alfalfa caterpillar (Colias eurytheme)
- Alfalfa leafcutting bee (Megachile rotundata)
- Alfalfa looper (Autographa californica)
- Alfalfa plant bug (Adelphocoris lineolatus)
- Alfalfa seed chalcid (Bruchophagus rodidi)
- Alfalfa snout beetle (Otiorhynchus ligustici)
- Alfalfa weevil (Hypera postica)
- Alkali bee (Nomia melanderi)
- Allantus viennensis (a sawfly)
13
- Alphitobius diaperinus (lesser mealworm) 15, 840
- Alsophila pomataria (fall cankerworm)
191, 206, 221, 340, 299, 321, 365, 366, 441, 558, 771, 777
- Altica chalybea (grape flea beetle)
167, 205, 220, 238, 261
- Alydus pilosulus (an alydid bug)
711
- Alypta octomaculata (eightspotted forester) 743
- Amblyomma americanum (lone star tick)
92, 137, 263, 282, 579
- Amblyomma maculatum (Gulf Coast tick)
242, 343, 465, 781, 785
- Amblyseius fallacis (a phytoseiid mite) 439
- American cockroach (Periplaneta americana)
- American dog tick (Dermacentor variabilis)
- Ammophila centralis (a sphecid wasp)
8, 11

- Amphitornus coloradus (a grasshopper)
301, 345, 346, 370, 645, 810
- Anabrus longipes (a cricket)
699
- Anabrus simplex (Mormon cricket)
168, 193, 244, 265, 284, 301, 325,
346, 394, 416, 421-422, 444, 697,
699, 720, 763, 814
- Anacamptodes fragilaria (koa haole
looper) 11
- Anacridium aegyptium (a grasshopper)
894
- Anagasta kuehniella (Mediterranean
flour moth) 841
- Anaphes flavipes (a mymarid wasp)
168, 208, 222, 242, 264, 282, 285,
300, 302, 323, 327, 344, 347, 369,
373, 416, 420, 808, 809
- Anaphothrips obscurus (grass thrips)
292
- Anarsia lineatella (peach twig
borer) 278, 738
- Anasa tristis (squash bug)
438, 462, 485, 735
- Anastrepha ludens (Mexican fruit fly)
560, 600, 627, 677, 894
- Anastrepha suspensa (Caribbean fruit
fly) 43, 168, 806, 807-808
- Ancognatha scarabaeioides (a scarab)
894
- Andricus coronus (a cynipid wasp)
299, 302
- Aneristus sp. (a eulophid wasp)
516, 517, 538, 539, 798, 799
- Aneristus ceroplastae
516
- Anisococcus quercus (a mealybug)
15
- Anisota senatoria (orangestriped
oakworm) 626
- Anopheles spp.
579
- Anopheles crucians
392, 782
- Anopheles freeborni
113, 152, 191
- Anopheles punctipennis
191, 343, 392, 419, 559, 596, 719
- Anopheles quadrimaculatus (common
malaria mosquito) 191, 559
- Anopheles walkeri
392, 559
- Anthocoris melanocerus (an anthocorid
bug) 803, 807
- Anthonomus eugenii (pepper weevil)
15, 123, 209, 326, 612, 844
- Anthonomus grandis (boll weevil)
58, 110-111, 123, 135, 148, 188,
235, 255, 276, 295, 316, 338, 360,
386, 414, 435, 460, 483, 507-508,
532, 554, 573-574, 592, 607, 623,
640, 673, 717, 723-724, 725, 759,
794, 837
- Anthonomus musculus (cranberry
weevil) 238, 319, 463
- Anthonomus signatus (strawberry
weevil) 743
- Anthophora urbana urbana (an apid
bee) 804
- Antianthe expansa (solanaceous
treehopper) 265, 629, 799
- Anticarsia gemmatilis (velvetbean
caterpillar) 359, 434, 553, 591,
607, 622, 639, 640, 671, 672, 708-
709, 711, 712, 758
- Aonidiella aurantii (California red
scale) 839
- Aonidiella taxus (an armored scale)
15
- Aonidomytilus hyperici (an armored
scale) 762, 765
- Aonidomytilus solidaginis
760, 766, 796, 798
- Apanteles sp. (a braconid wasp)
654, 656
- Apanteles dignus
94, 226
- Apanteles electrae
15
- Apanteles erionotae
103, 138, 169, 326, 492, 556, 869
- Apanteles flavipes
806
- Apanteles marginiventris
445
- Apanteles scutellaris
94, 138
- Aphis fabae (bean aphid)
239, 438, 462, 509, 510, 733
- Aphis gossypii (melon aphid)
10, 125, 235, 256, 276, 339, 361,
461, 510, 735, 837
- Aphis maidiradicis (corn root
aphid) 335
- Aphis pomi (apple aphid)
101, 319, 340, 389, 577, 759
- Aphis spiraecola (spirea aphid)
6
- Aphrophora parallela (pine
spittlebug) 206, 342, 365, 775,
777
- Aphytis sp. (a eulophid wasp)
344
- Aphytis lingnanensis
742
- Apion antiquum (South African emex
weevil) 422
- Apion longirostre (hollyhock weevil)
280, 285, 487, 493
- Apis ceanothi
15

Apis cerana
 900-902
Apis dorsata
 900-902
Apis florea
 900-902
Apis mellifera (honey bee)
 153, 166, 168, 242, 900-902
 Apple aphid
 (Aphis pomi)
 Apple leafhopper
 (Empoasca maligna)
 Apple maggot
 (Rhagoletis pomonella)
 Apple rust mite
 (Aculus schlechtendali)
Apterona crenulella (a psychid moth)
 458
Arachnis zuni (an arctiid moth)
 605, 621
Araecerus fasciculatus (coffee bean
 weevil) 641
 Arborvitae leafminer
 (Argyresthia thuiella)
Archips argyrospilus (fruittree
 leafroller) 257
Archips negundanus (a tortricid moth)
 299, 321, 778
Archips semiferanus (oak leafroller)
 775, 778
 Argus tortoise beetle
 (Chelymorpha cassidea)
Argyresthia thuiella (arborvitae
 leafminer) 775, 776
Argyrotaenia citrana (orange tortrix)
 742
Argyrotaenia velutinana (redbanded
 leafroller) 150, 166, 190, 204,
 219, 278, 389, 417, 463, 736, 738
 Army cutworm
 (Euxoa auxiliaris)
 Armyworm
 (Pseudaletia unipuncta)
Artipus floridanus (a weevil)
 91
 Ash plant bug
 (Tropidosteptes amoenus)
 Asiatic garden beetle
 (Maladera castanea)
 Asiatic oak weevil
 (Cyrtopistomus castaneus)
 Asiatic rice borer
 (Chilo suppressalis)
 Asparagus beetle
 (Crioceris asparagi)
 Aspen blotchminer
 (Lithocolletis tremuloidiella)
Aspidaphium escherichi (an aphid)
 13
Aspidiotus destructor (coconut
 scale) 869

Aster leafhopper
 (Macrosteles fascifrons)
Asterolecanium sp. (a pit scale)
 642
Asterolecanium minus
 281
Ataenius spretulus (a scarab)
 147, 186, 216, 274, 313, 385, 412,
 433, 458, 481, 530, 590, 605, 698
Atractomorpha sinensis (pinkwinged
 grasshopper) 43
Atrichopogon jacobsoni (a biting
 midge) 82, 85
Auleutes tuberculatus (a weevil)
 139
Aulocara elliotti (a grasshopper)
 283, 393, 421, 645, 810
 Australian cockroach
 (Periplaneta australasiae)
Autographa californica (alfalfa
 looper) 572
 Avocado seed moth
 (Stenoma catenifer)
 Azalea bark scale
 (Eriococcus azaleae)
 Azalea caterpillar
 (Datana major)
 Azalea lace bug
 (Stephanitis pyrioides)

SLUGS AND SNAILS

Achatina fulica (giant African snail)
 516, 807, 809, 845, 895
Arion ater (a slug)
 206

WEEDS

Abutilon theophrasti (velvetleaf)
 592
Acaena anserinifolia (biddy biddy)
 797
Aegopodium podagraria (bishops
 goutweed) 827, 829
Alhagi pseudalhagi (camelthorn)
 244
Amaranthus sp. (a pigweed)
 592
 American fly honeysuckle
 (Lonicera canadensis)
 Annual sowthistle
 (Sonchus oleraceus)

B

DISEASES

- Bacterial pustule
(Xanthomonas phaseoli var. sojense)
- Barley net blotch
(Pyrenophora teres)
- Barley yellow dwarf virus
185, 200, 231, 253, 273, 313, 336,
357, 433, 457, 506, 530
- Bean mosaic virus
509
- Bean rust
(Uromyces phaseoli var. typica)
- Bean yellow mosaic virus
531
- Beech bark canker
(Nectria coccinea var. faginata)
- Black knot
(Dibotryon morbosum)
- Black shank
(Phytophthora parasitica var.
nicotianae)
- Black stem rust
(Puccinia graminis)
- Blueberry stunt virus
297
- Borrelia recurrentis (relapsing
fever) 719
- Botrytis blight
(Botrytis cinerea)
- Botrytis cinerea (botrytis blight) 1/
364
- Botrytis paeoniae
See Botrytis cinerea
- Buckeye rot
(Phytophthora parasitica)

INSECTS

- Bagworm
(Thyridopteryx ephemeraeformis)
- Balclutha rufofasciata (a leafhopper)
51
- Balsam gall midge
(Dasineura balsamicola)
- Balsam twig aphid
(Mindarus abietinus)
- Balsam woolly aphid
(Adelges piceae)
- Banana skipper
(Erionota thrax)
- Banasa calva (a stink bug)
748

- Banasa dimidiata
748
- Banasa euchlora
748
- Banded greenhouse thrips
(Hercinothrips femoralis)
- Banded sunflower moth
(Phalonia hospes)
- Bandedwing whitefly
(Trialeurodes abutilonea)
- Banks grass mite
(Oligonychus pratensis)
- Baris sp. (a weevil)
496
- Barley thrips
(Limothrips denticornis)
- Bathyplectes anurus (an ichneumonid
wasp) 221, 345, 515, 644, 646
- Bathyplectes curculionis
8, 12, 15, 113, 152, 168, 192, 208,
221, 263, 282, 323, 345, 490, 493,
515, 701, 703, 803, 806
- Bean aphid
(Aphis fabae)
- Bean butterfly
(Lampides boeticus)
- Bean fly
(Ophiomyia phaseoli)
- Bean leaf beetle
(Cerotoma trifurcata)
- Beech scale
(Cryptococcus fagisuga)
- Beet armyworm
(Spodoptera exigua)
- Beet leafhopper
(Circulifer tenellus)
- Bella moth
(Utetheisa ornatrix bella)
- Bemisia giffardi (Giffard whitefly)
798, 799
- Bermudagrass mite
(Eriophyes cynodonensis)
- Bertha armyworm
(Mamestra configurata)
- Biosteres longicaudatus (a braconid
wasp) 43, 803, 806
- Birch leafminer
(Fenusa pusilla)
- Blaberus craniifer (a cockroach)
823, 824
- Black cherry aphid
(Myzus cerasi)
- Black cherry fruit fly
(Rhagoletis fausta)
- Black citrus aphid
(Toxoptera aurantii)
- Black cutworm
(Agrotis ipsilon)
- Black flour beetle
(Tribolium audax)

1/ Carried as Botrytis paeoniae in
Vol. 1.

Black horse fly
 (*Tabanus atratus*)
 Blackheaded fireworm
 (*Rhopobota naevana*)
 Black imported fire ant
 (*Solenopsis richteri*)
 Blackmargined aphid
 (*Monellia costalis*)
 Black pecan aphid
 (*Tinocallis caryaefoliae*)
 Black soldier fly
 (*Hermetia illucens*)
 Black thread scale
 (*Ischnaspis longirostris*)
 Black turpentine beetle
 (*Dendroctonus terebrans*)
 Black twig borer
 (*Xylosandrus compactus*)
 Black vine weevil
 (*Otiorhynchus sulcatus*)
Blaesoxipha kellyi (a flesh fly)
 490
Blattella germanica (German
 cockroach) 93, 785
Blissus insularis (southern chinch
 bug) 5, 621, 671, 677, 697, 698,
 757, 766
Blissus leucopterus hirtus (hairy
 chinch bug) 336, 506, 697, 698
Blissus leucopterus leucopterus
 (chinch bug) 100, 184, 232, 274,
 357, 384, 412, 481, 530, 670, 694,
 698, 715, 835
 Blue alfalfa aphid
 (*Acyrtosiphon kondoi*)
 Blueberry bud mite
 (*Acalitus vaccinii*)
 Blueberry maggot
 (*Rhagoletis mendax*)
 Bluegrass billbug
 (*Sphenophorus parvulus*)
 Boisduvals scale
 (*Diaspis boisduvali*)
 Boll weevil
 (*Anthonomus grandis*)
 Bollworm
 (*Heliothis zea*)
Boopendon nubilum (a grasshopper)
 810
Bothynus gibbosus (carrot beetle)
 237, 276, 361, 461, 485, 575, 640
Bovicola bovis (cattle biting
 louse) 785
 Boxelder bug
 (*Leptocoris trivittatus*)
 Boxelder leafroller
 (*Gracillaria negundella*)
Brachycaudus schwartzi (an aphid)
 13
Brachylybas variegatus (a coreid bug)
 542
Brachymeria intermedia (a chalcid
 wasp) 841
Brachymeria ovata
 676, 762, 796
Brachystola magna (lubber
 grasshopper) 415
Bracon kirkpatricki (a braconid
 wasp) 803, 806
Bradybatus subfasciatus (a weevil)
 520
Bradynotes obesa (a grasshopper)
 443
Bradysia coprophila (a sciarid fly)
 15
Brevennia rehi (a mealybug)
 15, 516
Brevicoryne brassicae (cabbage aphid)
 317, 533, 735, 837
 Bristly roseslug
 (*Cladius difformis*)
 Broad mite
 (*Polyphagotarsonemus latus*)
 Broadnecked root borer
 (*Prionus laticollis*)
Brochymena arborea
 748
Brochymena quadripustulata (rough
 stink bug) 748
 Bronze birch borer
 (*Agrilus anxius*)
 Bronzed cutworm
 (*Nephelodes minians*)
 Brown citrus aphid
 (*Toxoptera citricida*)
 Brown cockroach
 (*Periplaneta brunnea*)
 Brown cotton leafworm
 (*Acontia dacia*)
 Brown dog tick
 (*Rhipicephalus sanguineus*)
 Brown mite
 (*Bryobia rubrioculus*)
 Brown recluse spider
 (*Loxosceles reclusa*)
 Brown saltmarsh mosquito
 (*Aedes cantator*)
 Brown soft scale
 (*Coccus hesperidum*)
 Brown spider beetle
 (*Ptinus clavipes*)
 Brown stink bug
 (*Euschistus servus*)
 Brown wheat mite
 (*Petrobia latens*)
Bruchophagus sp. (a eurytomid seed
 chalcid) 649
Bruchophagus roddi (alfalfa seed
 chalcid) 705
Bruchus pisorum (pea weevil)
 388, 732

Bryobia praetiosa (clover mite)
233, 827
Bryobia rubrioculus (brown mite)
827
Bucculatrix ainsliella (oak
skeletonizer) 718
Buprestis sp. (a buprestid beetle)
520

SLUGS AND SNAILS

Bradybaena serotina (a snail)
564
Brown garden snail
(Helix aspersa)

WEEDS

Biddy biddy
(Acaena anserinifolia)
Bishops goutweed
(Aegopodium podagraria)
Bitter nightshade
(Solanum dulcamara)
Blue mustard
(Chorisporea tenella)
Broom snakeweed
(Gutierrezia sarothrae)

C

DISEASES

Cabbage yellows
(Fusarium oxysporum var.
conglutinans)
Capsici blight
(Phytophthora capsici)
Cedar-apple rust
(Gymnosporangium juniperi-
virginianae)
Cedar-hawthorn rust
(Gymnosporangium globosum)
Cephalosporium gramineum
(cephalosporium stripe) 146, 231,
253, 273
Cephalosporium stripe
(Cephalosporium gramineum)
Ceratocystis fagacearum (oak wilt)
365, 558
Ceratocystis ulmi (Dutch elm disease)
262, 298, 320, 324, 342, 365, 390,
418, 440, 464, 466, 469, 488, 512,
534, 559, 609, 611, 625, 630, 641,
644, 677, 762-763, 772, 775, 779,
841, 868

Cercospora sojina (frog-eye leaf
spot) 531, 606, 622, 793
Cercospora zebrina (summer black
stem) 433, 458, 482
Chalkbrood
(Ascosphaera apis)
Charcoal rot
(Macrophomina phaseoli)
Cherry leaf spot
(Coccomyces hiemalis)
Citrus black spot
(Guignardia citricarpa)
Citrus canker
(Xanthomonas citri)
Citrus nematode
(Tylenchulus semipenetrans)
Club root
(Plasmodiophora brassicae)
Coccomyces hiemalis (cherry leaf
spot) 297
Coleosporium spp.
206
Coleosporium asterum (pine needle
blister rust) 239
Coleora senniana (a leaf spot)
722
Colletotrichum dematium var. truncata
(soybean truncata anthracnose) 793
Colletotrichum trifolii (southern
anthracnose) 147, 163
Comandrae blister rust
(Cronartium comandrae)
Common leaf spot
(Pseudopeziza medicaginis)
Common maize rust
(Puccinia sorghi)
Common smut
(Ustilago maydis)
Coniothyrium atriplicinum (a fungus)
850
Corn brown spot
(Physoderma maydis)
Corynebacterium nebraskense (goss
wilt) 311
Cotton root-knot nematode
(Meloidogyne incognita acrita)
Cronartium comandrae (comandrae
blister rust) 772, 774
Cronartium fusiforme (fusiform rust)
206
Cronartium ribicola (white pine
blister rust) 150, 369
Crown rust
(Puccinia coronata)
Cryptomeria needle blight
(Phoma cryptomeriae)
Cubensis downy mildew
(Pseudoperonospora cubensis)

Curly top virus
291, 309, 477, 501, 603
Cylindrocladium blight
(Cylindrocladium scoparium)
Cylindrocladium scoparium
(cylindrocladium blight) 772
Cymadothea trifolii (sooty blotch)
314

INSECTS

Cabbage aphid
(Brevicoryne brassicae)
Cabbage looper
(Trichoplusia ni)
Cabbage maggot
(Hylemya brassicae)
Cabbage seedpod weevil
(Ceutorhynchus assimilis)
Cabbage webworm
(Hellula rogatalis)
Cadelle
(Tenebroides mauritanicus)
Cadra figulilella (raisin moth)
795
Caenurgina erechtea (forage looper)
164
Calcaritermes sp. (a termite)
722
California oakworm
(Phryganidia californica)
California red scale
(Aonidiella aurantii)
Caliroa sp. (a sawfly)
513, 772
Caliroa cerasi (pearslug)
417, 595
Caliroa quercusoccineae (scarlet
oak sawfly) 281, 322, 441, 514,
517, 610
Callimoxys sanguinicollis
sanguinicollis (a cerambycid
beetle) 15
Calloptistria floridensis (Florida
fern caterpillar) 839, 846
Callosobruchus maculatus (cowpea
weevil) 721
Calomicrus brunneus (corn silk
beetle) 90, 95
Calomycterus setarius (imported
longhorn weevil) 413
Caloptilia azaleella (a gracillariid
moth) 845
Caloptilia syringella (lilac
leafminer) 760
Calosoma spp. (a carabid beetle)
366
Calpodes ethlius (larger canna
leafroller) 167
Camellia scale
(Lepidosaphes camelliae)

Camnula pellucida (clearwinged
grasshopper) 283, 325, 560, 561,
645, 809-810
Camponotus sayi (an ant)
15
Cantharis bilineatus (a cantharid
beetle) 201
Caribbean fruit fly
(Anastrepha suspensa)
Carmine spider mite
(Tetranychus cinnabarinus)
Carneocephala sagittifera
(a leafhopper) 799
Carpenter bee (Xylocopa virginica)
208
Carpophilus hemipterus (driedfruit
beetle) 794
Carrot beetle
(Bothynus gibbosus)
Carulaspis juniperi (juniper
scale) 744, 745
Caryedon serratus (groundnut bruchid)
265, 285
Cat flea
(Ctenocephalides felis)
Cattle biting louse
(Bovicola bovis)
Cattle tail louse
(Haematopinus quadripertusus)
Celama sorghiella (sorghum
webworm) 638, 658, 715, 756
Cephus cinctus (wheat stem sawfly)
481, 695, 696
Cerambyx sp. (a cerambycid beetle)
520
Cerataphis palmae (an aphid) 1/
864
Cerataphis variabilis
See Cerataphis palmae
Ceratitis sp.
564
Ceratitis capitata (Mediterranean
fruit fly) 9, 12, 16, 82, 117-118,
127-129, 467, 492, 537, 611, 632,
678, 763, 807, 813-814
Cereal leaf beetle
(Oulema melanopus)
Cereal stem moth
(Ochsenheimeria vacuella)
Cerococcus koebele (a pit scale)
16
Ceroplastes ceriferus (a soft
scale) 341, 347, 744, 745
Cerotoma trifurcata (bean leaf
beetle) 189, 256, 531, 710, 717,
793

1/ Carried as Cerataphis
variabilis in Vol. 1.

- Ceutorhynchus assimilis (cabbage seedpod weevil) 236
- Ceutorhynchus litura 803, 804
- Chaetanophothrips orchidii (a thrips) 265, 394
- Chaetocnema pulicaria (corn flea beetle) 200, 694
- Chaetococcus phragmitis (a mealybug) 13
- Cheiopachus colon (a pteromalid wasp) 644
- Chelonus blackburni (a braconid wasp) 803, 806
- Chelymorpha cassidea (argus tortoise beetle) 362
- Chestnut gall wasp (Dryocosmus kuriphilus)
- Chilo sp. (a pyralid moth) 722
- Chilo phragmitellus 448
- Chilo suppressalis (Asiatic rice borer) 472
- Chinch bug (Blissus leucopterus leucopterus)
- Chinese rose beetle (Adoretus sinicus)
- Chionaspis heterophyllae (an armored scale) 80, 85, 795, 798
- Chionaspis pinifoliae (pine needle scale) 7, 12, 221, 226, 488, 493, 535, 760
- Chironomus plumosus (a midge) 241
- Chlorotabanus crepuscularis (a tabanid fly) 855
- Choristoneura conflictana (large aspen tortrix) 321, 390
- Choristoneura fumiferana (spruce budworm) 262, 298, 320, 390, 418, 440, 771
- Choristoneura occidentalis (western spruce budworm) 112, 342, 390, 440, 780
- Choristoneura parallela (a tortricid moth) 16
- Choristoneura pinus (jack pine budworm) 320, 771
- Choristoneura rosaceana (obliquebanded leafroller) 318, 486, 738
- Choristoneura viridis 772
- Choristoneura zapulata 280
- Chryphalus sp. (a scolytid beetle) 600
- Chrysanthemum thrips (Thrips nigropilosus)
- Chrysomela scripta complex (cottonwood leaf beetles) 167, 191
- Chrysomphalus aonidum (Florida red scale) 103, 104, 190, 193
- Chrysopa sp. (a green lacewing) 866
- Chrysopa quadripunctata 8, 12
- Chrysops ater (a tabanid fly) 392
- Chrysops atlanticus 853
- Chrysops beameri 853
- Chrysops callidus 853
- Chrysops celatus
See Chrysops flavidus
- Chrysops cincticornis 853
- Chrysops cuclux 853
- Chrysops dimmocki 853
- Chrysops excitans 392
- Chrysops flavidus 1/ 854
- Chrysops fuliginosus 66, 67
- Chrysops geminatus 2/ 854
- Chrysops geminatus geminatus
See Chrysops geminatus
- Chrysops hinei 854
- Chrysops indus 854
- Chrysops lateralis 392
- Chrysops macquarti 392, 490, 514, 854
- Chrysops mitis 392
- Chrysops moechus 392, 490, 514, 854
- Chrysops montanus 854
- Chrysops niger 392, 854
- Chrysops obsoletus 853, 854
- Chrysops pikei 854
- 1/ Also carried as Chrysops celatus in Vol. 1.
- 2/ Carried as Chrysops geminatus geminatus in Vol. 1.

- Chrysops reicherti
854
- Chrysops shermani
392, 854
- Chrysops sordidus
392
- Chrysops univittatus
854
- Chrysops vittatus 1/
392, 490, 514, 854
- Chrysops vittatus floridanus
See Chrysops vittatus
- Cicadula longiseta (a leafhopper)
792
- Cimbex americana (elm sawfly)
464
- Cinara strobil (white pine aphid)
58, 240
- Cinnabar moth
(Tyria jacobaeae)
- Circulifer tenellus (beet
leafhopper) 89, 99, 104, 109, 121,
161, 251, 291, 309, 429, 477, 501,
547, 657, 791, 861
- Citrus blackfly
(Aleurocanthus woglumi)
- Citrus bud mite
(Eriophyes sheldoni)
- Citrus mealybug
(Planococcus citri)
- Citrus red mite
(Panonychus citri)
- Citrus root weevil
(Pachnaeus litus)
- Citrus rust mite
(Phyllocoptruta oleivora)
- Citrus snow scale
(Unaspis citri)
- Citrus swallowtail
(Papilio xuthus)
- Citrus whitefly
(Dialeurodes citri)
- Cladius difformis (bristly roseslug)
598
- Clastoptera achatina (pecan
spittlebug) 166, 741
- Clastoptera salicis
626, 630
- Clavaspis ulmi (an armored scale)
124, 126
- Clearwinged grasshopper
(Camnula pellucida)
- Clouded plant bug
(Neurocolpus nubilis)
- Cloudywinged whitefly
(Dialeurodes citrifolii)
- 1/ Also carried as Chrysops vittatus
floridanus in Vol. 1.
- Clover head weevil
(Hypera meles)
- Clover leaf weevil
(Hypera punctata)
- Clover mite
(Bryobia praetiosa)
- Clover root borer
(Hylastinus obscurus)
- Clover root curculio
(Sitona hispidulus)
- Cnephia dacotensis (a black fly)
92
- Cnephia mutata
92, 207
- Coccinella novemnotata
(a lady beetle) 796
- Coccinella septempunctata bruckii
869
- Coccinella septempunctata
septempunctata 647
- Coccinella transversoguttata
richardsoni 803, 804
- Coccotorus scutellaris (plum
gouger) 557, 561
- Coccus capparidis
765, 766
- Coccus elongatus (long brown scale)
94, 95
- Coccus hesperidum (brown soft
scale) 50, 512
- Coccus viridis (green scale)
894
- Cochliomyia hominivorax (screwworm)
9, 51, 59, 66, 82, 94, 114, 125,
137, 153, 169, 193, 208, 223, 265,
284, 326, 346, 371, 394, 444, 467,
516, 537, 560-561, 597, 612, 628,
720, 763-764, 781, 842-843, 867
- Coconut scale
(Aspidiotus destructor)
- Codling moth
(Laspheyresia pomonella)
- Coeloides scolytivorus (a braconid
wasp) 644
- Coelophora inaequalis (common
Australian lady beetle) 445
- Coelophora inaequalis novemmaculata
869
- Coelophora pupillata (tenspotted
lady beetle) 629, 630
- Coffee bean weevil
(Araecerus fasciculatus)
- Coleomegilla maculata (a lady beetle)
81, 93, 152, 548, 719, 796, 804
- Coleophora laricella (larch
casebearer) 220, 773
- Coleophora parthenica (a coleophorid
moth) 466
- Colias eurytheme (alfalfa
caterpillar) 135, 148, 458, 552,
621, 638, 758

- Colorado potato beetle
 (Leptinotarsa decemlineata)
 Common Australian lady beetle
 (Coelophora inaequalis)
 Common cattle grub
 (Hypoderma lineatum)
 Common malaria mosquito
 (Anopheles quadrimaculatus)
 Comstock mealybug
 (Pseudococcus comstocki)
 Confused flour beetle
 (Tribolium confusum)
Conoderus sp.
 272
Conoderus amplicollis (Gulf wireworm)
 16
Conotelus mexicanus (a nitidulid
 beetle) 760
Conotrachelus nenuphar (plum
 curculio) 150, 220, 238, 260, 278,
 297, 318, 340, 363, 736, 738
Contarinia sorghicola (sorghum midge)
 312, 335, 432, 457, 481, 551, 605,
 694, 716, 756
Contarinia texana (a cecidomyiid
 midge) 572
 Convergent lady beetle
 (Hippodamia convergens)
 Cooley spruce gall aphid
 (Adelges cooleyi)
Coptotermes sp.
 520
Coptotermes formosanus (Formosan
 subterranean termite) 496
Coquillettidia sp. (a mosquito)
 579
Coquillettidia perturbans
 343, 367, 392, 419, 442, 465, 514,
 559, 781, 782
Cordillacris spp. (grasshoppers)
 393
Cordillacris occipitalis
 125, 301
 Corn blotch leafminer
 (Agromyza parvicornis)
 Corn earworm
 (Heliothis zea)
 Corn flea beetle
 (Chaetocnema pulicaria)
 Corn leaf aphid
 (Rhopalosiphum maidis)
 Corn planthopper
 (Peregrinus maidis)
 Corn root aphid
 (Aphis maidiradicis)
 Corn root webworm
 (Pediasia caliginosella)
 Corn silk beetle
 (Calomicrus brunneus)
Coryphista meadii (a geometrid moth)
 298
Corythucha ciliata (sycamore lace
 bug) 151, 535
Cosmopepla bimaculata (a stink bug)
 748
Cossula magnifica (pecan
 carpenterworm) 6, 438, 439, 863
Cotinis nitida (green June beetle)
 763, 797
 Cotton flea hopper
 (Pseudatomoscelis seriatus)
 Cottonwood leaf beetles
 (Chrysomela scripta complex)
 Coulee cricket
 (Peranabrus scabricollis)
 Cowpea weevil
 (Callosobruchus maculatus)
Crambus trisetus
 See Pediasia trisepta
 Cranberry weevil
 (Anthonomus musculus)
Cratypedes sp. (a grasshopper)
 283, 421
Crematogaster ashmeadi (an ant)
 170
 Cribate weevil
 (Otiorynchus cribricollis)
Crioceris asparagi (asparagus
 beetle) 16, 189, 203, 218, 237,
 576, 735
Crioceris duodecimpunctata (spotted
 asparagus beetle) 16, 237
Croesia semipurpurana (a tortricid
 moth) 418
Crossidius pulchellus (a cerambycid
 beetle) 490
 Cross-striped cabbage worm
 (Evergestis rimosalis)
Crymodes devastator (glassy cutworm)
 163, 173-179
Cryptococcus fagisuga (beech scale)
 775, 780
Cryptolestes pusillus (flat grain
 beetle) 762
Cryptophlebia leucotreta (false
 codling moth) 600, 894
Cryptorhynchus olivieri (a weevil)
 542
Cryptotermes sp. (a termite)
 649
Ctenicera pruinina (Great Basin
 wireworm) 200
Ctenocephalides felis (cat flea)
 796
Ctenopseustis obliquana (a tortricid
 moth) 520
Culex spp.
 367, 419, 465, 579
Culex pipiens (northern house
 mosquito) 536

Culex quinquefasciatus (southern house mosquito) 392, 442, 610, 676, 761, 782
Culex restuans 241, 299, 559
Culex salinarius 559, 719
Culex tarsalis 152, 578, 781
Culiseta melanura (a mosquito) 596, 579, 719
Curculio caryae (pecan weevil) 534, 557, 625, 674, 736, 741, 794, 838
 Currant fruit weevil (Pseudanthrenus validus)
Cyclocephala sp. (a scarab) 698
Cylas formicarius elegantulus (sweetpotato weevil) 153, 736, 794
Cylindrocopturus adpersus (a weevil) 624, 843
Cynaues angustus (larger black flour beetle) 16
Cyrtepidomus castaneus (Asiatic oak weevil) 513, 780
Cyrtomenus ciliatus (a cydnid bug) 747
Cyrtopeltis modestus (tomato bug) 125, 422
Cystiphora schmidtii (a cecidomyiid midge) 720, 843

SLUGS AND SNAILS

Cochlicella conoidea (a snail) 496

WEEDS

California burclover (Medicago polymorpha)
 Camelthorn (Alhagi pseudalhagi)
Campsis radicans (trumpet creeper) 643
 Canada thistle (Cirsium arvense)
Carduus crispus (welshed thistle) 369
Carduus nutans (musk thistle) 804
Cassia obtusifolia (sicklepod) 467
Centaurea calcitrapa (purple starthistle) 836, 847
Centaurea diffusa (diffuse knapweed) 466, 469
Centaurea maculosa (spotted knapweed) 843, 847

Centaurea solstitialis (yellow starthistle) 466
Cephalanthus occidentalis (common buttonbush) 341
Chenopodium sp. (a goosefoot) 592
Chondrilla juncea (rush skeletonweed) 645, 720, 797, 843
Chorispora tenella (blue mustard) 284, 285
Cirsium arvense (Canada thistle) 804
 Common buttonbush (Cephalanthus occidentalis)
 Common crupina (Crupina vulgaris)
 Creeping buttercup (Ranunculus sp. probably repens)
 Creeping woodsorrel (Oxalis corniculata)
Crupina vulgaris (common crupina) 467, 469

D

DISEASES

Davisomycella ampla (jack pine needle cast) 239
Diaporthe phaseolorum var. caulivora (soybean stem canker) 459, 553
Diaporthe phaseolorum var. sojae (soybean pod and stem blight) 793
Dibotryon morbosum (black knot) 219, 257, 297
Didymella macrospora (iris leaf spot) 341
Diplocarpon rosae (rose black spot) 1/ 205
Diplodia maydis (diplodia stalk rot) 2/ 755
Diplodia pinea (pine tip blight) 3/ 167, 239, 440, 488
Diplodia stalk rot (Diplodia maydis)

- 1/ Carried as black spot of roses in Vol. 1.
- 2/ Carried as maydis cornstalk rot in Vol. 1.
- 3/ Carried as tip blight of pine in Vol. 1.

Ditylenchus dipsaci (stem and bulb nematode) 233, 314
Dothistroma needle blight (Dothistroma pini)
Dothistroma pini (dothistroma needle blight) 1/ 261
 Dutch elm disease (Ceratocystis ulmi)

INSECTS

Dactynotus richardsi (an aphid) 8, 11
Dactynotus sonchi 16, 445
Dacus cucurbitae (melon fly) 372, 556, 580, 598, 612
Dacus dorsalis (oriental fruit fly) 138, 141-142, 537, 556, 611, 645, 647, 677, 678, 680, 763, 797, 807, 814, 842, 843, 850, 867
Daktulosphaira vitifoliae (grape phylloxera) 742, 843
Dasineura balsamicola (balsam gall midge) 321
Dasineura oxycoccana (a cecidomyiid midge) 261
Datana integerrima (walnut caterpillar) 340, 535, 595, 625, 674, 675, 794
Datana major (azalea caterpillar) 609, 760
Decorosphon corynothrix (an aphid) 13, 16
Deilephila nerii (oleander hawk moth) 10, 67, 169, 223, 279
Delphacodes nigrificacies (a delphacid planthopper) 765, 766
Delta curvata (a vespid wasp) 538, 539
Dendroctonus frontalis (southern pine beetle) 7, 16, 42, 66, 92, 102, 104, 136, 342, 347, 365, 675, 677, 771
Dendroctonus ponderosae (mountain pine beetle) 441, 773
Dendroctonus pseudotsugae (Douglas-fir beetle) 872
Dendroctonus simplex (eastern larch beetle) 773, 780
Dendroctonus terebrans (black turpentine beetle) 675, 771, 777
Dendrotettix quercus (a grasshopper) 388, 393
Dermacentor andersoni (Rocky Mountain wood tick) 539

Dermacentor occidentalis (Pacific Coast tick) 241, 282
Dermacentor variabilis (American dog tick) 124, 152, 192, 207, 242, 282, 420, 514, 539, 762, 784-785
 Devastating grasshopper (Melanoplus devastator)
Diabrotica spp. 335, 356-357
Diabrotica longicornis (northern corn rootworm) 357, 383-384, 411-412, 432, 456-457, 480, 505-506, 529, 550-551, 571, 588, 604, 620, 638, 683, 690-693, 715, 792, 834, 847, 861
Diabrotica undecimpunctata howardi (southern corn rootworm) 145, 162, 200, 209, 216, 317, 358, 373, 456, 459, 517, 551, 691, 700, 705, 838, 847, 872
Diabrotica virgifera (western corn rootworm) 357, 383-384, 411-412, 432, 456-457, 480, 505, 529, 539, 550-551, 561, 571, 576, 588, 604, 613, 620, 638, 683, 690-693, 756, 758, 766, 847, 861, 863, 872
Diachlorus ferrugatus (a tabanid fly) 855
Diadegma insularis (an ichneumonid wasp) 303
Dialeurodes citri (citrus whitefly) 111, 243
Dialeurodes citrifolii (cloudywinged whitefly) 556, 561, 798, 799, 844, 846
 Diamondback moth (Plutella xylostella)
Diaparsis spp. (ichneumonid wasps) 242, 263, 282, 300, 323, 327, 369, 373, 808, 809
Diaphania hyalinata (melonworm) 663
Diaphania nitidalis (pickleworm) 663
Diapheromera femorata (walkingstick) 780
Diaprepes abbreviatus (West Indian sugarcane root borer) 807, 815
Diaspidiotus ancyclus (Putnam scale) 58, 60, 91, 95
Diaspidiotus coniferarum (an armored scale) 112, 115
Diaspidiotus liquidambaris 7, 12
Diaspidiotus uvae (grape scale) 865, 871
Diaspis boisduvali (Boisduvals scale) 42
Diaspis carueli (an armored scale) 205

1/ Carried as needle blight in Vol. 1.

Diatraea grandiosella (southwestern corn borer) 4, 11, 44, 49, 184, 335, 356, 456, 480, 504, 528, 549, 571, 620, 637, 670, 683, 688-689, 756, 791, 834, 847, 862

Diatraea saccharalis (sugarcane borer) 689, 806

Dichromothrips corbetti (vanda thrips) 341, 346

Differential grasshopper (Melanoplus differentialis)

Diglyphus begini (a eulophid wasp) 445, 678

Dimorphopterus pilosus (Pacific rice chinch bug) 897-899

Dingy cutworm (Feltia ducens)

Dinurothrips venzenyii (a thrips) 13

Diocalandra taitensis (Tahitian coconut weevil) 801

Dioryctria zimmermani (Zimmerman pine moth) 191, 517

Dissosteira pictipennis (a grasshopper) 443

Dogwood borer (Synanthedon scitula)

Dolichotetranychus carnea (a false spider mite) 862, 871

Douglas-fir beetle (Dendroctonus pseudotsugae)

Douglas-fir tussock moth (Orgyia pseudotsugata)

Draeculacephala minerva (grass sharpshooter) 51

Drepanaphis acerifoliae (painted maple aphid) 366, 373, 795

Drepanopterna femoratum (a grasshopper) 393, 810

Driedfruit beetle (Carpophilus hemipterus)

Dryocosmus kuriphilus (chestnut gall wasp) 14, 111, 115

Dusky stink bug (Euschistus tristigmus tristigmus)

Dynaspidiotus britannicus (holly scale) 16

Dysaphis foenicula (an aphid) 16

Dysaphis plantaginea (rosy apple aphid) 190

Dysmicoccus brevipes (pineapple mealybug) 223

WEEDS

Dalmatian toadflax (Linaria dalmatica)

Diffuse knapweed (Centaurea diffusa)

Dog fennel (Eupatorium capillifolium)

E

DISEASES

Elm phloem necrosis virus 578, 675

Entomophthora spp. (insect fungi) 730, 745

Erwinia amylovora (fire blight) 219, 257, 277, 296, 318, 339, 363, 417, 463

Erwinia atroseptica (potato blackleg) 295

Erwinia bacterial wilt (Erwinia tracheiphila)

Erwinia stewartii (Stewart's wilt) 230, 410

Erwinia tracheiphila (erwinia bacterial wilt) 362

Erysiphe graminis f.sp. tritici (wheat powdery mildew) 1/ 133, 162, 184, 200, 231, 253, 273, 313, 357

Erysiphe polygoni (polygoni powdery mildew) 2/ 256, 458, 593, 716

Euonymus powdery mildew (Oidium euonymi-japonici)

Exobasidium vaccinii (azalea leaf gall) 298

INSECTS

Ear tick (Otobius megnini)

Earias insulana (spiny bollworm) 895

Eastern larch beetle (Dendroctonus simplex)

Eastern spruce gall aphid (Adelges abietis)

Eastern subterranean termite (Reticulitermes flavipes)

Eastern tent caterpillar (Malacosoma americanum)

Edessa florida (a stink bug) 748

Egyptian alfalfa weevil (Hypera brunneipennis)

1/ Carried as powdery mildew of wheat in Vol. 1.

2/ Carried as powdery mildew of carrot in Vol. 1.

- Egyptian cottonworm
 (*Spodoptera litura*)
 Eightspotted forester
 (*Alypia octomaculata*)
Elasmopalpus lignosellus (lesser
 cornstalk borer) 294, 338, 414,
 483, 507, 531, 532, 553, 573,
 604, 607, 608, 623, 689, 711-
 712, 717, 733, 756, 757, 759,
 792
Elasmus albizziae (an elasmid wasp)
 627
Elatobium abietinum (spruce aphid)
 240
Eleates explanatus (a tenebrionid
 beetle) 16
Eleodes opacus (plains false
 wireworm) 200
 Elm leaf beetle
 (*Pyrrhalta luteola*)
 Elm sawfly
 (*Cimbex americana*)
 Elongate hemlock scale
 (*Fiorinia externa*)
Ematurga amitaria (a geometrid moth)
 261
Empoasca fabae (potato leafhopper)
 229, 252, 272, 292, 310, 334, 354-
 355, 382, 410, 430, 454, 478, 503,
 527, 548, 570, 619, 637, 653, 663-
 665, 755
Empoasca maligna (apple leafhopper)
 759
Empoasca solana (southern garden
 leafhopper) 51, 445
Encarsia sp. (a eulophid wasp)
 245
Encarsia variegata
 16, 94, 95, 445
Enchenopa binotata (twomarked
 treehopper) 761
 English grain aphid
 (*Macrosiphum avenae*)
Eotetranychus lewisi (a spider mite)
 864
Eotetranychus multidigituli
 464
Eotetranychus populi
 828
Eotetranychus weldoni
 489, 761
Epargyreus clarus (silverspotted
 skipper) 708
Epicauta andersoni (a meloid beetle)
 317
Epilachna varivestis (Mexican bean
 beetle) 149, 235, 277, 294, 315,
 338, 359, 384, 386, 413, 416, 421,
 435, 437, 459, 462, 482, 507, 509,
 531, 553, 572-573, 591, 594, 606,
 608, 623, 627, 639, 672, 673, 708,
 710, 731-732, 758, 805
Epinotia meritana (white fir
 needleminer) 772-773
Epirimerus pyri (pear rust mite)
 741
Epitrix cucumeris (potato flea
 beetle) 296, 362, 575
Epitrix hirtipennis (tobacco flea
 beetle) 10, 468, 725
Epitrix tuberis (tuber flea beetle)
 339
Erannis tiliaria (linden looper)
 366, 777
Eriococcus azaleae (azalea bark
 scale) 261, 320, 327
Eriococcus insignis (an eriococcid
 scale) 835, 846
Eriococcus quercus
 388, 391
Erionota thrax (banana skipper)
 67, 94, 95, 103, 138, 169, 303,
 326, 492, 556, 869
Eriophyes cynodontensis (Bermudagrass
 mite) 699
Eriophyes pyri
 See *Phytoptus pyri*
Eriophyes sheldoni (citrus bud mite)
 844
Eriophyes tulipae (wheat curl mite)
 146, 185, 273
Eriosoma lanigerum (woolly apple
 aphid) 220
Eriotremex formosanus (a siricid
 wasp) 14, 16, 112, 115, 239, 245,
 865, 872
Erythroneura zizac (Virginiacreeper
 leafhopper) 718
Estigmene acrea (saltmarsh
 caterpillar) 708. Light traps:
 171, 194, 210, 224, 246, 266, 286,
 304, 328, 348, 374-375, 395, 423,
 424, 446, 470, 494-495, 518-519,
 540-541, 562-563, 581, 599, 614,
 631, 648, 679, 766, 800
Ethmia nigroapicella (kou leafworm)
 10
Eucalymnatus tessellatus (tessellated
 scale) 365
Eucelatoria sp. near *armigera*
 (a tachinid fly) 372
Euceraphis sitchensis (an aphid)
 16
Euceratocerus gibbifrons (an anobiid
 beetle) 646
Euetheola rugiceps (sugarcane beetle)
 200
Eulachnus agilis (an aphid)
 240
Eunyssobia echidna (a weevil)
 17

Euonymus scale
 (Unaspis euonymi)
Eurasian pine aphid
 (Pineus pini)
European alfalfa beetle
 (Subcoccinella vigintiquatuor-
 punctata)
European apple sawfly
 (Hoplocampa testudinea)
European chafer
 (Rhizotrogus majalis)
European corn borer
 (Ostrinia nubilalis)
European earwig
 (Forficula auricularia)
European fruit lecanium
 (Lecanium corni)
European pine sawfly
 (Neodiprion sertifer)
European pine shoot moth
 (Rhyacionia buoliana)
European red mite
 (Panonychus ulmi)
Eurycotis floridana (a cockroach)
 823, 824-826
Eurytetranychus buxi (a spider
 mite) 827, 828
Eurytoma sp. (a eurytomid seed
 chalcid) 895
Euscepes postfasciatus (West Indian
 sweetpotato weevil) 114, 153, 632
Euschistus ictericus
 747, 748
Euschistus luridus
 748
Euschistus servus (brown stink bug)
 749, 793
Euschistus tristigmus pyrrhocerus
 749
Euschistus tristigmus tristigmus
 (dusky stink bug) 749
Eutetranychus banksi (Texas citrus
 mite) 556, 561, 799
Euthyrhynchus floridanus (a stink
 bug) 749
Euxoa auxiliaris (army cutworm)
 3, 41, 49, 57, 65, 79, 89, 99, 109,
 121, 133, 145, 161, 183, 209, 215,
 251, 271, 653-654, 791. Light
 traps: 6, 154, 224, 246, 266, 286,
 304, 328, 348, 374, 395, 423, 446,
 470, 599, 648, 679, 721, 766, 800
Euxoa ochrogaster (redbacked cutworm)
 149, 218, 705, 727
Evagetus padrinus padrinus
 (a pompilid wasp) 17
Evergestis rimosalis (cross-striped
 cabbageworm) 733, 734

WEEDS

Eichornia crassipes (waterhyacinth)
 804
Eupatorium capillifolium (dog
 fennel) 796
European buckthorn
 (Rhamnus cathartica)

F

DISEASES

Fire blight
 (Erwinia amylovora)
Fomes annosus (annosus butt and root
 rot) 772
Frogeye leaf spot
 (Cercospora sojae)
Fusarium oxysporum (fusarium wilt)
 296
Fusarium oxysporum var. conglutinans
 (cabbage yellows) 510
Fusarium wilt
 (Fusarium oxysporum)
Fusiform rust
 (Cronartium fusiforme)

INSECTS

Face fly
 (Musca autumnalis)
Fall armyworm
 (Spodoptera frugiperda)
Fall cankerworm
 (Alsophila pometaria)
Fall webworm
 (Hyphantria cunea)
False celery leaf-tier
 (Udea profundalis)
False chinch bug
 (Nysius ericae)
False codling moth
 (Cryptophlebia leucotreta)
Faronta diffusa (wheat head
 armyworm) Light traps: 171, 210,
 246, 266, 286, 304, 328, 348, 374,
 446, 470, 494, 518, 540, 562, 581,
 599, 631, 648, 679, 721, 766
Feltia ducens (dingy cutworm) 1/
 251
Feltia subterranea (granulate
 cutworm) 294, 414, 435, 460, 483,
 726. Light traps: 138, 154, 171,
 194, 210, 224, 246, 266, 286, 304,

1/ Carried as Feltia subgothica
 in Vol. 1.

328, 348, 374, 395, 423, 446, 470,
494, 518, 540, 562, 581, 599, 614,
631, 648, 679, 721, 766, 800, 847
Fenusa pusilla (birch leafminer)
191, 221, 299, 322, 342, 366, 391,
744-745, 780
Fern scale
(Pinnaspis aspidistrae)
Fig scale
(Lepidosaphes conchiformis)
Fiorinia externa (elongate hemlock
scale) 298, 302
Fiorinia theae (tea scale)
344, 534, 745
Fir engraver
(Scolytus ventralis)
Flat grain beetle
(Cryptolestes pusillus)
Fletcher scale
(Lecanium fletcheri)
Floodwater mosquito
(Aedes sticticus)
Florida fern caterpillar
(Callopietria floridensis)
Florida red scale
(Chrysomphalus aonidum)
Forage looper
(Caenurgina erechtea)
Forbes scale
(Quadraspidotus forbesi)
Forest tent caterpillar
(Malacosoma disstria)
Forficula auricularia (European
earwig) 17, 138, 139, 798, 799
Formosan subterranean termite
(Coptotermes formosanus)
Fourspotted spider mite
(Tetranychus canadensis)
Foxglove aphid
(Acyrtosiphon solani)
Frankliniella spp.
276, 371, 542
Frankliniella fusca (tobacco thrips)
165, 235, 256, 292, 295, 360, 387
Frankliniella occidentalis (western
flower thrips) 10, 166, 245, 257,
279, 326, 388, 468, 678, 869
Fruittree leafroller
(Archips argyrospilus)

G

DISEASES

Gaeumannomyces graminis var. tritici
(take-all) 1/ 231, 253, 313, 384

1/ Carried as Gaumannomyces
graminis in Vol. 1.

Gibberella fujikuroi
See Gibberella (Fusarium)
moniliforme
Gibberella (Fusarium) moniliforme
(moniliforme rot) 1/ 669, 715,
755
Gloeosporium sp. (blueberry
anthracnose) 512
Gnomonia platani (sycamore
anthracnose) 2/ 262, 280, 298,
365
Gnomonia quercina (oak anthracnose)
298, 342, 365
Gnomonia veneta
See Gnomonia platani
Goss wilt
(Corynebacterium nebraskense)
Grape black rot
(Guignardia bidwelli)
Grape downy mildew
(Plasmopara viticola)
Guava scab
(Sphaceloma psidii)
Guignardia bidwelli (grape black rot)
417, 486
Guignardia citricarpa (citrus black
spot) 615
Gymnoconia peckiana (orange rust)
280
Gymnosporangium globosum (cedar-
hawthorn rust) 364
Gymnosporangium juniperi-virginianae
(cedar-apple rust) 124, 136, 150,
167, 204, 219, 318, 364
Gymnosporangium nidus-avis (apple
rust) 340

INSECTS

Galleria mellonella (greater wax
moth) 102
Gasterophilus haemorrhoidalis (nose
bot fly) 323
Gasterophilus intestinalis (horse
bot fly) 323, 465, 676
Gasterophilus nasalis (throat bot
fly) 465
Gastrophysa polygoni (a chrysomelid
beetle) 300
Gelis sp. (an ichneumonid wasp)
113
Geocoris sp. (a bigeyed bug)
188
Geocoris punctipes
803, 807

1/ Carried as Gibberella fujikuroi
(fujikuroi rot) in Vol. 1.

2/ Carried as Gnomonia veneta in
error in Vol. 1.

German cockroach
 (Blattella germanica)
 Giant bark aphid
 (Longistigma caryae)
Gibbium psylloides (a psyllid beetle)
 152, 154
 Giffard whitefly
 (Bemesia giffardi)
 Glassy cutworm
 (Crymodes devastator)
Glyphodes pyloalis (a pyralid moth) 17
 Golden tortoise beetle
 (Metrona bicolor)
Gotra sp. (an ichneumonid wasp)
 869, 871
Gracillaria negundella (boxelder leafroller) 535
 Granulate cutworm
 (Feltia subterranea)
 Grape berry moth
 (Paralobesia viteana)
 Grape flea beetle
 (Altica chalybea)
 Grape mealybug
 (Pseudococcus maritimus)
 Grape phylloxera
 (Daktulosphaira vitifoliae)
 Grape root borer
 (Vitacea polistiformis)
 Grape scale
 (Diaspidiotus uvae)
Graphognathus spp. (whitefringed beetles) 114, 153, 193, 244, 326, 371, 394, 467, 491, 537, 561, 612, 628, 797
Grapholitha molesta (oriental fruit moth) 166, 204, 237, 257, 297, 318, 736, 737
 Grass bugs
 293, 313, 336, 385
 Grasshoppers
 125, 168, 244, 264, 283, 301, 324-325, 369-370, 371, 393, 420-421, 443-444, 491, 536, 559, 561, 579, 597, 627, 639, 644-645, 674, 708, 720, 807, 809-811
 Grass sharpshooter
 (Draeculacephala minerva)
 Grass thrips
 (Anaphothrips obscurus)
 Grass webworm
 (Herpetogramma licarsisalis)
 Great Basin wireworm
 (Ctenicera pruinina)
 Greater wax moth
 (Galleria mellonella)
 Greedy scale
 (Hemiberlesia rapax)
 Greenbug
 (Schizaphis graminum)

Green cloverworm
 (Plathypena scabra)
 Green fruitworm
 (Lithophane antennata)
 Greenhouse thrips
 (Heliothrips haemorrhoidalis)
 Greenhouse whitefly
 (Trialeurodes vaporariorum)
 Green June beetle
 (Cotinis nitida)
 Green peach aphid
 (Myzus persicae)
 Green scale
 (Coccus viridis)
 Green shield scale
 (Pulvinaria psidii)
 Green stink bug
 (Acrosternum hilare)
 Groundnut bruchid
 (Caryedon serratus)
 Gulf Coast tick
 (Amblyomma maculatum)
 Gulf wireworm
 (Conoderus amplicollis)
 Gypsy moth
 (Lymantria dispar)
Gyropsylla ilicis (a psyllid)
 101

SLUGS AND SNAILS

Galba viridis (liverfluke snail)
 845
 Giant African snail
 (Achatina fulica)

WEEDS

Grindelia squarrosa (gumweed)
 8
 Gumweed
 (Grindelia squarrosa)
Gutierrezia sarothrae (broom snakeweed) 490

H

DISEASES

Helicotylenchus dihystra (a spiral nematode) 641
Helicotylenchus pseudorobustus
 557, 641
Helminthosporium spp. (a seedling blight) 162
Helminthosporium maydis (southern leaf blight) 334
Helminthosporium sativum (wheat root and crown rot) 146, 231, 384

Helminthosporium turcicum (northern leaf blight) 334
Helminthosporium vagans (melting out) 274
Heterodera avenae (oat cyst nematode) 649, 851
Heterodera glycines (soybean cyst nematode) 434, 482, 493, 507, 622, 630, 639, 671, 677, 711, 793
 Holcus spot
 (Pseudomonas syringae)

INSECTS

Haematobia irritans (horn fly)
 81, 92, 112, 124, 136, 151, 168, 191, 207, 221, 241, 262, 281, 299, 322, 343, 367, 391, 419, 441-442, 464, 489, 514, 535, 558-559, 578, 596, 626, 643, 676, 761, 783, 796, 865
Haematopinus eurysternus (shortnosed cattle louse) 7, 43, 92, 102, 137, 152, 241, 785
Haematopinus quadripertusus (cattle tail louse) 785
Haematopinus suis (hog louse) 8
 Hairy chinch bug
 (Blissus leucopterus hirtus)
Halictus sp. (a halictid bee) 629, 630
Haplothrips purpuratus (a thrips) 17
 Harlequin bug
 (Murgantia histrionica)
Harmonia conformis (a lady beetle) 169, 170
Harrisina brillians (western grapeleaf skeletonizer) 261, 486, 537, 612, 674, 743
 Hawaiian thrips
 (Taeniothrips hawaiiensis)
 Head louse
 (Pediculus humanus capitis)
Heliothis virescens (tobacco budworm) 183, 215, 272, 292, 311, 334, 355, 360, 382, 430, 455, 460, 508, 525, 533, 554-555, 574-575, 592, 623, 624, 640, 653, 666, 669, 672, 715, 717, 723, 724-725, 755, 759, 791, 807. Light traps: 138, 154, 171, 210, 224, 246, 266, 286, 304, 328, 374-375, 395, 423, 446, 494, 518, 540, 562, 581, 599, 614, 631, 648, 679, 766, 800
Heliothis zea (bollworm, corn earworm) 148, 165, 188, 199, 215, 235, 251, 255, 271, 303, 309, 316, 333, 338, 353, 360, 381, 386, 409,

414, 429, 436, 453, 460, 477, 484, 501-502, 508, 525, 526, 533, 547-548, 554-555, 569, 574-575, 587, 589, 592-593, 603, 607, 619, 623, 624, 637, 639, 640, 653, 658-660, 669, 672, 687, 712, 723, 724-725, 755, 759, 791, 807, 833. Light traps: 138, 154, 171, 224, 246, 266, 286, 304, 328, 348, 374-375, 395, 396, 423, 424, 446, 470-471, 494-495, 518-519, 540, 562, 581, 599, 614, 631, 648, 679, 721, 766, 800
Heliothrips haemorrhoidalis (greenhouse thrips) 538
Hellula rogatalis (cabbage webworm) 223, 326, 468, 580, 799
Hemiberlesia lataniae (latania scale) 136
Hemiberlesia rapax (greedy scale) 6, 12, 58, 60
Hemileuca oliviae (range caterpillar) 146, 186, 201, 233, 274, 313, 358, 422, 444, 467, 490, 491, 560, 579, 597, 628, 652, 676, 677, 697, 762, 763, 792, 796
 Hemispherical scale
 (Saissetia coffeae)
Hercinothrips femoralis (banded greenhouse thrips) 839
Hermetia illucens (black soldier fly) 17
Herpetogramma licarsisalis (grass webworm) 59, 492
Hesperocimex coloradensis (a cimicid bug) 416, 420
Hesperotettix speciosus (a grasshopper) 810
 Hessian fly
 (Mayetiola destructor)
Heterocampa guttivitta (saddled prominent) 558, 625, 775, 778
Heterocampa manteo (variable oakleaf caterpillar) 626, 642, 745
 Hibiscus leafminer
 (Parectopa hibiscella)
 Hickory plant bug
 (Lygocoris caryae)
 Hickory shuckworm
 (Laspeyresia caryana)
Hippodamia convergens (convergent lady beetle) 93, 113, 125, 152, 323, 548, 796, 803, 804
 Hog louse
 (Haematopinus suis)
Holcostethus timbolaris (a stink bug) 749
 Hollyhock weevil
 (Apion longirostre)
 Holly leafminer
 (Phytomyza ilicis)

Holly scale
 (Dynaspidiotus britannicus)
Homadaula anisocentra (mimosa
 webworm) 366, 376, 418, 513, 517,
 535, 539, 558, 561, 610, 613, 627,
 718, 721, 840, 846
Homaemus parvulus (a scutellerid
 bug) 747
Homoeosoma electellum (sunflower
 moth) 361, 437, 461, 484, 555,
 575, 593, 608, 624, 726-727
 Honey bee
 (Apis mellifera)
Hoplia sp. (a scarab)
 520
Hoplocampa testudinea (European
 apple sawfly) 204
 Horn fly
 (Haematobia irritans)
 Horse bot fly
 (Gasterophilus intestinalis)
 House cricket
 (Acheta domesticus)
 House fly
 (Musca domestica)
 Hunting billbug
 (Sphenophorus venatus vestitus)
Hybomitra daeckei (a tabanid fly)
 855
Hybomitra difficilis
 855
Hybomitra lasiophthalma
 855
Hybomitra nuda
 343
Hydroecia micacea (potato stem
 borer) 17, 312, 387, 388, 509,
 690
Hydrothassa vittata (a chrysomelid
 beetle) 643, 646
Hygrotus medialis (a dytiscid
 beetle) 17
Hylastinus obscurus (clover root
 borer) 202, 705
Hylemya antiqua (onion maggot)
 149, 237, 735, 736
Hylemya brassicae (Cabbage maggot)
 80, 256, 277, 296, 624, 733, 734
Hylemya platyura (seedcorn maggot)
 133, 145, 315, 694, 731, 733
Hylobius abietis
 680
Hylobius pales (pales weevil)
 151, 167, 513, 775, 776
Hylobius radicis (pine root collar
 weevil) 776
Hylotrupes bajulus (old house borer)
 17
Hylurgopinus rufipes (native elm
 bark beetle) 151

Hymenarcys nervosa (a stink bug)
 749
Hypera strigata (lantana defoliator
 caterpillar) 67
Hypera brunneipennis (Egyptian
 alfalfa weevil) 80, 164, 201
Hypera meles (clover head weevil)
 122
Hypera nigrirostris (lesser clover
 leaf weevil) 122, 202
Hypera postica (alfalfa weevil)
 5-6, 42, 50, 65, 79, 90-91, 100-
 101, 109-110, 113, 122, 134, 147-
 148, 152, 163-164, 168, 170, 186-
 187, 201-202, 208, 217, 221, 233-
 234, 254-255, 263, 275, 282, 293-
 294, 314-315, 323, 337, 345, 358,
 385, 413, 420, 434, 490, 515, 606,
 638, 644, 671, 677, 700-704, 717,
 758, 805-806, 836, 896
Hypera punctata (clover leaf weevil)
 110, 148, 202, 434
Hypericicoccus hyperici
 (an eriococcid scale) 487, 493
Hyperodes maculicollis (a weevil)
 481
Hyphantria cunea (fall webworm)
 92, 206, 260, 279, 319, 363, 366,
 389, 439, 463, 486, 488, 511, 513,
 534, 535, 557, 577, 578, 596, 610,
 625, 642, 674, 675, 736, 741, 775,
 777, 795
Hypoderma spp.
 151, 322, 784
Hypoderma bovis (northern cattle
 grub) 58, 60, 263
Hypoderma lineatum (common cattle
 grub) 42, 58, 60, 66, 81, 92, 102,
 113, 124, 136, 151, 263, 322, 784,
 840, 865
 SLUGS AND SNAILS
Helicella cretica (a snail)
 564, 632, 680
Helicella derbentina
 649
Helicella maritima
 472, 564, 851
Helicella protea
 851
Helicella virgata
 542
Helix aspersa (brown garden snail)
 445, 576, 629, 843, 846, 870, 872
 WEEDS
 Hairystem gooseberry
 (Ribes hirtellum)

Halogeton
 (Halogeton glomeratus)
Halogeton glomeratus (halogeton)
 466
 Hemp broomrape
 (Orobanche ramosa)
 Hydrilla
 (Hydrilla verticillata)
Hydrilla verticillata (hydrilla)
 866, 871

I

DISEASES

Ipomoeae white rust
 (Albugo ipomoeae-panduratae)
 Iris bacterial leaf spot
 (Xanthomonas tardicrescens)
 Iris leaf spot
 (Didymella macrospora)

INSECTS

Imma mylias (a glyphipterigid moth)
 14
 Imported cabbageworm
 (Pieris rapae)
 Imported longhorn weevil
 (Calomycterus setarius)
 Imported willow leaf beetle
 (Plagiodes versicolora)
Ips spp. (engraver beetles)
 112
Ips acuminatus
 582
Ips amitinus
 801
Ips sexdentatus
 564, 615, 850
Irbisia spp. (grass bugs)
 413
Irbisia brachycera
 697, 698
Irbisia pacifica
 313, 336, 385, 697, 698
Irbisia shulli
 697, 698
Ischnaspis longirostris (black
 thread scale) 341
 Itch mite
 (Sarcoptes scabiei)

J

DISEASES

Jack pine needle cast
 (Davisonomyella ampla)
 Juniperovora twig blight
 (Phomopsis juniperovora)

INSECTS

Jack pine budworm
 (Choristoneura pinus)
 Japanese beetle
 (Popillia japonica)
Japananus hyalinus (a leafhopper)
 17
 Juniper scale
 (Carulaspis juniperi)

K

INSECTS

Kaloterms approximatus (a drywood
 termite) 17
Keiferia lycopersicella (tomato
 pinworm) 10, 94, 111, 138, 372,
 445, 468, 575, 647, 844
 Khapra beetle
 (Trogoderma granarium)
Kilifia acuminata (acuminate scale)
 190, 193
 Koa haole looper
 (Anacamptodes fragilaria)
 Kou leafworm
 (Ethmia nigroapicella)
Kurtomathrips morrilli (a thrips)
 445

L

DISEASES

Lagerbergii canker
 (Scleroderris lagerbergii)
Leptosphaeria sp. (a blight)
 680
Leptosphaerulina briosiana
 (leptosphaerulina leaf spot)
 337, 433, 716
Leptosphaerulina leaf spot
 (Leptosphaerulina briosiana)

Little cherry virus
838, 846
Lodgepole pine dwarfmistletoe
(Arceuthobium americanum)
Loose smut
(Ustilago nuda)
Lophodermium pinastri (pinastri
needlecast) 539

INSECTS

Labops spp. (grass bugs)
232, 313, 385, 458, 572, 697, 698
Labops hesperius
216, 232, 253, 274, 293, 385, 413,
572, 696, 697, 698
Labops hirtus
458, 572
Labops utahensis
413, 458
Lachnus salignus (an aphid)
761
Lambdina fiscellaria somnaria
(western oak looper) 795
Lambdina pellucidaria (a geometrid
moth) 240
Lampides boeticus (bean butterfly)
850
Lantana defoliator caterpillar
(Hypena strigata)
Lantana lace bug
(Teleonemia scrupulosa)
Larch casebearer
(Coleophora laricella)
Larch sawfly
(Pristiphora erichsonii)
Large aspen tortrix
(Choristoneura conflictana)
Large bandedwing grasshopper
(Trimerotropis pallidipennis)
Larger black flour beetle
(Cynaesus angustus)
Larger canna leafroller
(Calpodes ethlius)
Larger elm leaf beetle
(Monocesta coryli)
Largus cinctus (a pyrrhocorid bug)
795
Larinus cynarae (a weevil)
542
Lasioptera vitis (a cecidomyiid
midge) 17
Lasius flavus (an ant)
17
Lasius neoniger
17
Laspeyresia caryana (hickory
shuckworm) 205, 238, 625, 674,
741

Laspeyresia pomonella (codling
moth) 204, 237, 257, 278, 318,
439, 486, 511, 534, 557, 577, 595,
609, 641, 736-737. Light traps:
286, 297, 423, 648
Latania scale
(Hemiberlesia lataniae)
Latrodectus hesperus (western black
widow spider) 676, 762
Lawn armyworm
(Spodoptera mauritia)
Lecanium corni (European fruit
scale) 322, 487, 493
Lecanium fletcheri (Fletcher scale)
239, 341
Lechriops sp. (a weevil)
786
Leek moth
(Acrolepia assectella)
Lemophagus curtus (an ichneumonid
wasp) 208, 221, 242, 263, 323,
345, 346, 368, 373, 466, 808, 809
Leperisinus aculeatus
644
Leperisinus californicus (a scolytid
beetle) 864, 871
Lepidosaphes camelliae (camellia
scale) 760, 766
Lepidosaphes conchiformis (fig scale)
641
Lepidosaphes ulmi (oystershell scale)
221
Lepidosaphes yanagicola (an armored
scale) 58, 60, 66, 67, 111, 115
Leptinotarsa decemlineata (Colorado
potato beetle) 165, 203, 236, 256,
277, 296, 302, 317, 339, 361, 387,
415, 437, 461, 485, 509, 594, 608,
727, 729
Leptobyrsa decora (a tingid bug)
279, 303
Leptoconops n.sp. (a biting midge)
784
Leptocoris trivittatus (boxelder bug)
340
Leptoglossus corculus (a leaffooted
bug) 840, 846
Leptoglossus gonagra
742
Leptopterna dolabrata (meadow plant
bug) 413
Leptysma hebardii (a grasshopper)
103, 104
Lesser clover leaf weevil
(Hypera nigrirostris)
Lesser cornstalk borer
(Elasmopalpus lignosellus)
Lesser mealworm
(Alphitobius diaperinus)

- Lesser peachtree borer
 (*Synanthedon pictipes*)
Leucania loreyi (a noctuid moth)
 82
Leucoma salicis (satin moth) 1/
 8
Leucopis obscura (a chamaemyiid fly)
 492
Leucoptera scitella (a lyonetiid
 moth) 801
Leucotabanus annulatus (a tabanid
 fly) 853, 855
Ligyrocoris litigiousus (a lygaeid
 bug) 82, 85
 Lilac borer
 (*Podosesia syringae*)
 Lilac leafminer
 (*Caloptilia syringella*)
Limonius californicus (sugarbeet
 wireworm) 312
Limonius canus (Pacific Coast
 wireworm) 277
Limothrips denticornis (barley
 thrips) 253, 384, 696
 Linden looper
 (*Erannis tiliaria*)
Lindorus lophanthae (a lady beetle)
 869
Linognathus vituli (longnosed
 cattle louse) 785, 866
Liogenys macropelma (a scarab)
 895
Liothrips varicornis (a thrips)
 17
Liriomyza spp. (leafminer flies)
 10, 114, 209, 245, 265, 279, 303,
 326, 347, 372, 394, 422, 445, 468,
 492, 516, 538, 556, 580, 598, 612,
 629, 647, 678, 764-765, 844, 869
Liriomyza huidobrensis
 103
Liriomyza munda (vegetable leafminer)
 863
Liriomyza sativae (a leafminer fly)
 218, 736
Liriomyza trifoliarum
 17
Liriomyza trifolii
 736
Listroderes costirostris obliquus
 (vegetable weevil) 123, 218, 725
Lithocolletis blancardella
 (a graciariid moth) 190, 204,
 219, 238, 260, 318
Lithocolletis tremuloidiella (aspen
 blotchminer) 513
Lithophane antennata (green
 fruitworm) 204, 219, 340, 738
 Locust leafminer
 (*Odontota dorsalis*)
 Lone star tick
 (*Amblyomma americanum*)
 Long brown scale
 (*Coccus elongatus*)
Longistigma caryae (giant bark
 aphid) 626
Longitarsus jacobaeae (a flea
 beetle) 803-804
Longitarsus waterhousei
 437
 Longnosed cattle louse
 (*Linognathus vituli*)
Loxagrotis albicosta (western bean
 cutworm) 432, 456, 480, 504-505,
 528, 549, 570, 576, 690, 729
Loxosceles reclusa (brown recluse
 spider) 124, 490, 493
Loxostege sp. (a pyralid moth)
 717
Loxostege commixtalis (alfalfa
 webworm) Light traps: 631
Loxostege rantisalis (garden
 webworm) Light traps: 648
Loxostege sticticalis (beet
 webworm) Light traps: 304,
 423, 470, 599, 614, 631, 679
 Lubber grasshopper
 (*Brachystola magna*)
Lygocoris caryae (hickory plant
 bug) 18
Lygocoris communis (pear plant bug)
 238
Lygus spp. (lygus bugs)
 276, 337, 434, 461, 606, 639, 706
Lygus elisus (pale legume bug)
 706
Lygus hesperus
 458, 706
Lygus lineolaris (tarnished plant
 bug) 148, 165, 188, 338, 360, 415,
 436, 461, 463, 552, 723, 725, 739,
 742, 743, 836
Lymantria dispar (gypsy moth)
 83-84, 113, 192-193, 208, 222, 244,
 258-259, 264, 284, 301, 325, 370,
 421, 444, 467, 491, 537, 539, 560,
 597, 627, 645, 720, 721, 771, 807,
 811-812, 841, 842, 866-867, 371
Lymantria monacha (nun moth)
 83-84
Lysiphlebus sp. (an aphidiid wasp)
 663
Lysiphlebus testaceipes
 50, 59, 93, 99, 102, 113, 125, 137,
 145, 161, 283, 310, 334, 466, 515,
 526, 536, 647, 803, 805

1/ Also carried as *Stilpnolia*
salicis in Vol. 1.

SLUGS AND SNAILS

- Limacolaria numidica (a snail)
472
Limax maximus (spotted garden slug)
166
Liverfluke snail
(Galba viridis)

WEEDS

- Linaria dalmatica (dalmatian
toadflax) 284, 285, 468, 469
Lonicera canadensis (American fly
honeysuckle) 827

M

DISEASES

- Macrophomina phaseoli (charcoal
rot) 1/ 553, 606, 620, 622
Macrophomina phaseolina
See Macrophomina phaseoli
Maize dwarf mosaic virus
353, 410, 431, 455, 479, 501, 604,
715
Meloidogyne sp.
641
Meloidogyne hapla (northern root-
knot nematode) 793, 836
Meloidogyne incognita acrita
(cotton root-knot nematode) 2/
862
Melting out
(Helminthosporium vagans)
Monilinia fructicola (stone fruit
brown rot) 297
Monilinia vaccinii-corymbosi
(mummy berry) 136
Mummy berry
(Monilinia vaccinii-corymbosi)
Mycosphaerella arachidicola (peanut
early leaf spot) 793

INSECTS

- McDaniel spider mite
(Tetranychus mcdanieli)
Macremphytus tarsatus (a sawfly)
18

- 1/ Carried as Macrophomina
phaseolina in Vol. I.
2/ Carried as Meloidogyne
incognita in Vol. I.

- Macroductylus subspinosus (rose
chafer) 364
Macroglossum pyrrhostictum
(a sphingid moth) 764, 765, 766
Macrosiphum avenae (English grain
aphid) 5, 162, 185, 201, 253,
291, 336, 429, 696, 833
Macrosiphum euphorbiae (potato
aphid) 362, 551, 556, 620, 638,
730
Macrosiphum liriiodendri (tuliptree
aphid) 388, 391, 761
Macrosiphum rosae (rose aphid)
66
Macrosteles fascifrons (aster
leafhopper) 121, 161, 183, 199,
215, 229, 251, 271, 291, 309, 333,
353, 409, 429, 453, 657, 833
Macrotheca unipuncta (a pyralid moth)
18
Magdalis barbicornis (a weevil)
18
Magicicada septendecim (periodical
cicada) 262
Maize billbug
(Sphenophorus maidis)
Malacosoma americanum (eastern tent
caterpillar) 91, 101, 112, 123,
135, 149-150, 166, 189-190, 204,
206, 238, 240, 260, 738, 778
Malacosoma californicum (western tent
caterpillar) 204, 205, 274, 293,
321, 385, 744
Malacosoma californicum pluviale
166
Malacosoma disstria (forest tent
caterpillar) 240, 245, 274, 321,
366, 771
Malacosoma incurvum (southwestern
tent caterpillar) 136
Maladera castanea (Asiatic garden
beetle) 413
Mamestra configurata (bertha
armyworm) 673
Manduca spp. (sphingid moths)
415, 436, 484
Manduca quinquemaculata (tomato
hornworm) 431, 479, 503, 570, 637.
Light traps: 395, 423, 446, 470,
518, 540, 562, 581, 599, 614, 631,
648, 679
Manduca sexta (tobacco hornworm)
216, 229, 311, 382, 410, 431,
653, 666. Light traps: 210, 224,
246, 266, 395, 423, 446, 470, 494,
518-519, 540, 562, 581, 599, 614,
631, 648, 679
Maple leafcutter
(Paraclemensia acerifoliella)
Mayetiola destructor (Hessian fly)
50, 336, 412, 695, 792, 835, 862

- Meadow plant bug
(Leptopterna dolabrata)
- Meadow spittlebug
(Philaenus spumarius)
- Mediterranean flour moth
(Anagasta kuehniella)
- Mediterranean fruit fly
(Ceratitis capitata)
- Megachile rotundata (alfalfa
leafcutting bee) 43, 803, 805,
806
- Melanaspis obscura (obscure scale)
7, 112, 115, 419
- Melanolestes picipes (an assassin
bug) 241, 245
- Melanoplus spp.
125, 301, 345, 433, 699
- Melanoplus bivittatus (twostriped
grasshopper) 283, 370, 393, 420,
421, 491, 536, 560, 627, 644, 645,
810, 811
- Melanoplus dawsoni
370
- Melanoplus devastator (devastating
grasshopper) 443
- Melanoplus differentialis
(differential grasshopper) 325,
370, 491, 597, 627, 639, 644,
645, 810, 811
- Melanoplus femurrubrum (redlegged
grasshopper) 560, 597, 627, 644,
645, 810, 811
- Melanoplus infantilis
645
- Melanoplus keeleri
559
- Melanoplus occidentalis
810
- Melanoplus packardii (Packard
grasshopper) 370, 559, 644, 810,
811
- Melanoplus sanguinipes (migratory
grasshopper) 283, 325, 370, 393,
491, 537, 559-560, 561, 579, 644,
645, 809, 810, 811
- Melanotus sp. (a wireworm)
272
- Melipotis indomita (a noctuid moth)
372
- Melittia cucurbitae (squash vine
borer) 438, 462, 594
- Meloe niger (a meloid beetle)
803, 804
- Melon aphid
(Aphis gossypii)
- Melon fly
(Dacus cucurbitae)
- Melonworm
(Diaphania hyalinata)
- Melophagus ovinus (sheep ked)
343, 514
- Menochilus sexmaculatus (a lady
beetle) 803, 804
- Mermiria maculipennis (a grasshopper)
559, 810
- Meromyza americana (wheat stem
maggot) 216, 232, 412, 433, 457,
695, 862
- Mesochorus agilis (an ichneumonid
wasp) 113, 115
- Mesovelia amoena (a mesoveliid bug)
18
- Metamasius hemipterus (a weevil)
582
- Metaseiulus occidentalis
(a phytoseiid mite) 844
- Meteorus laphygmae (a braconid
wasp) 372
- Meteorus versicolor
8
- Metriona bicolor (golden tortoise
beetle) 388
- Mexican bean beetle
(Epilachna varivestis)
- Mexican fruit fly
(Anastrepha ludens)
- Microctonus aethiopoides (a braconid
wasp) 283, 327, 420, 627, 630,
643-644, 646
- Microctonus aethiops
798, 803, 805, 806
- Microctonus colesi
168
- Microlarinus lareynii (puncturevine
seed weevil) 18, 466, 469, 762,
766, 798, 804
- Microlarinus lypriformis
(puncturevine stem weevil)
866, 871
- Microsega bella (a chrysidid wasp)
18
- Microtheca ochroloma (yellowmargined
leaf beetle) 123, 165, 170, 236,
245, 734
- Migratory grasshopper
(Melanoplus sanguinipes)
- Mimosa webworm
(Homadaula anisocentra)
- Mindarus abietinus (balsam twig
aphid) 321, 342, 390
- Mocis latipes (a noctuid moth)
590, 621
- Molorchus minor (a cerambycid
beetle) 582
- Monarthrum mali (a scolytid
beetle) 610
- Monellia spp.
595, 625, 674, 838
- Monellia costalis (blackmargined
aphid) 364, 439, 463, 741, 759
- Monocesta coryli (larger elm leaf
beetle) 558, 578

Monophadnoides geniculatus
(raspberry sawfly) 238

Mormidea lugens (a stink bug)
750

Mormon cricket
(Anabrus simplex)

Mosquitoes
81, 152, 191-192, 207, 241, 263,
281-282, 299, 323, 343, 367, 392,
419, 442-443, 465, 489, 514, 536,
559, 579, 596, 610-611, 626, 643,
719, 781-782

Mountain ash sawfly
(Pristiphora geniculata)

Mountain pine beetle
(Dendroctonus ponderosae)

Mouralia tinctorides (a noctuid
moth) 864

Mourningcloak butterfly
(Nymphalis antiopa)

Mulberry whitefly
(Tetraleurodes mori)

Murgantia histrionica (harlequin bug)
462, 750

Musca autumnalis (face fly)
7, 12, 18, 58, 66, 92, 95, 112,
115, 151, 207, 221, 241, 263, 265,
299, 322, 323, 343, 367, 391-392,
419, 442, 465, 469, 489, 493, 514,
536, 559, 576, 578-579, 676, 761,
781, 782-783, 796, 865, 871

Musca domestica (house fly)
343

Muscaphis stammeri (an aphid)
14, 18

Myzus ascalonicus (shallot aphid)
18

Myzus cerasi (black cherry aphid)
297, 319

Myzus persicae (green peach aphid)
80, 150, 169, 188, 190, 235, 236,
278, 295, 361, 387, 437, 459, 461,
508, 509, 575, 593, 640, 647, 726,
727, 730, 869

WEEDS

Medicago polymorpha (California
burclover) 51

Musk thistle
(Carduus nutans)

N

DISEASES

Nectria coccinea var. faginata (beech
bark canker) 775, 780

Nomuraea rileyi (an insect fungus)
709

Northern leaf blight
(Helminthosporium turcicum)

Northern root-knot nematode
(Meloidogyne hapla)

INSECTS

Nabis spp. (damselfly bugs)
803, 807

Nanophyes watsoni (a weevil)
18

Nantucket pine tip moth
(Rhyacionia frustrana)

Nasutitermes sp. (a termite)
600

Native elm bark beetle
(Hylurgopinus rufipes)

Native holly leafminer
(Phytomyza ilicicola)

Nematodes atropos (a eucnemid
beetle) 642, 646

Neochetina eichhorniae (a weevil)
803, 804

Neodiprion lecontei (redheaded pine
sawfly) 595

Neodiprion pinetum (white pine
sawfly) 609

Neodiprion sertifer (European pine
sawfly) 151, 191, 206, 221, 239

Neolasioptera sp. (a cecidomyiid
midge) 472

Neolasioptera murtfeldtiana
(sunflower seed midge) 18

Nephelodes minians (bronzed
cutworm) 173-179

Nesothrips brevicollis (a thrips)
95

Neurocolpus nubilis (clouded plant
bug) 723, 725

New Guinea sugarcane weevil
(Rhabdoscelus obscurus)

Nezara viridula (southern green
stink bug) 292, 335, 362, 639,
647, 711, 735, 836

Nicoletia meinerti (a silverfish)
14

Nilaparvata wolcottii (a delphacid
planthopper) 14

Nomia melanderi (alkali bee)
804, 807

Northern cattle grub
(Hypoderma bovis)

Northern corn rootworm
(Diabrotica longicornis)

Northern house mosquito
(Culex pipiens)

Northern pine weevil
 (Pissodes approximatus)
 Nose bot fly
 (Gasterophilus haemorrhoidalis)
 Nun moth
 (Lymantria monacha)
Nymphalis antiopa (mourningcloak
 butterfly) 321, 390, 535, 626, 760
Nysius sp. near vinitor (a lygaeid
 bug) 798, 799
Nysius ericae (false chinch bug)
 165



DISEASES

Oak anthracnose
 (Gnomonia quercina)
 Oak leaf blister
 (Taphrina caerulescens)
 Oak leaf spot
 (Actinopelte dryina)
 Oak wilt
 (Ceratocystis fagacearum)
 Oak wilt virus
 772
 Oat crown rust
 (Puccinia coronata var. avenae)
 Oat cyst nematode
 (Heterodera avenae)
 Oat loose smut
 (Ustilago avenae)
 Oat stem rust
 (Puccinia graminis f.sp. avenae)
Oidium euonymi-japonici (euonymus
 powdery mildew) 1/ 280
 Orange rust
 (Gymnoconia peckiana)

INSECT

Oak leafroller
 (Archips semiferanus)
 Oak skeletonizer
 (Bucculatrix ainliella)
Oberea bimaculata (raspberry cane
 borer) 487
 Obliquebanded leafroller
 (Choristoneura rosaceana)
 Obscure scale
 (Melanaspis obscura)
Ochsenheimeria vacuella (cereal
 stem moth) 481

Octotoma plicatula (a chrysomelid
 beetle) 643, 646
 Odd beetle
 (Thylodrias contractus)
Odontaleyrodes rhododendri
 (a whitefly) 764, 765, 766
Odontota dorsalis (locust leafminer)
 281, 299, 391, 441, 459, 488,
 775, 779
Oebalus pugnax (rice stink bug)
 530, 750
Oecanthus rileyi (a cricket)
 111
Oedaleonotus enigma enigma
 (a grasshopper) 301, 324, 443,
 809, 810
Oedaleus abruptus (small bandedwing
 grasshopper) 326, 327
Oestrus ovis (sheep bot fly)
 489, 865
Oidaematophorus sp. (a pterophorid
 moth) 169, 347, 445, 629
Okanagana rimosa (a cicada)
 865, 871
 Old house borer
 (Hylotrupes bajulus)
 Oleander hawk moth
 (Deilephila nerii)
Oligonychus aceris
 828
Oligonychus bicolor
 828
Oligonychus ilicis (southern red
 mite) 239, 319, 512
Oligonychus milleri
 829
Oligonychus pratensis (Banks grass
 mite) 79, 232, 384, 506, 529, 571,
 589, 620, 638, 670, 695, 829
Oligonychus stickneyi
 590
Oligonychus ununguis (spruce spider
 mite) 320, 829
 Olive scale
 (Parlatoria oleae)
Omphisa anastomosalis (sweetpotato
 vine borer) 153
Oncideres cingulata (twig girdler)
 609
 Onion maggot
 (Hylemya antiqua)
 Onion thrips
 (Thrips tabaci)
Ooencyrtus chrysopae (an encyrtid
 wasp) 866, 871
Ooencyrtus erionotae
 103, 138
Ophiomyia phaseoli (bean fly)
 10, 580, 629, 721
Opius spp. (braconid wasps)
 138

1/ Carried as powdery mildew
 of euonymus in Vol. 1.

Opus oophilus
 138, 647
Orange spiny whitefly
 (Aleurocanthus spiniferus)
Orangestriped oakworm
 (Anisota senatoria)
Orange tortrix
 (Argyrotaenia citrana)
Orchamoplatus mammaeferus
 (a whitefly) 372, 373, 394, 580
Orgyia leucostigma (whitemarked
 tussock moth) 463
Orgyia pseudotsugata (Douglas-fir
 tussock moth) 390, 773
Oriental fruit fly
 (Dacus dorsalis)
Oriental fruit moth
 (Grapholitha molesta)
Orius insidiosus (an anthocorid bug)
 807
Ornithodoros sp. (a softbacked
 tick) 719
Ornithodoros coriaceus
 18, 282, 285
Ornithonyssus bacoti (tropical rat
 mite) 796
Orthezia tillandsiae (an ortheziid
 scale) 18
Orthosia hibisci (a noctuid moth)
 166
Orthotomicus erosus (a scolytid
 beetle) 564
Orthotomicus laricus
 801
Osbornellus auronitens (a leafhopper)
 104
Osbornellus clarus
 52, 95
Osbornellus consors
 5, 12, 60
Osbornellus unicolor
 104
Ostrinia nubilalis (European corn
 borer) 133, 145, 161, 184, 199,
 216, 230, 252, 256, 272, 277, 292,
 311, 323, 324, 334, 355-356, 382-
 383, 397-404, 411, 431-432, 455-
 456, 479, 503-504, 549, 555, 575,
 589, 593, 604, 613, 620, 624, 630,
 637, 641, 670, 683-687, 715, 727,
 728, 732, 736, 738, 756, 791,
 873-874. Light traps: 266, 286,
 304, 328, 348, 374-375, 395, 396,
 423, 446-447, 470-471, 494-495,
 518-519, 540-541, 562-563, 581,
 599, 614, 631, 648, 679, 721, 766
Otiorynchus cribricollis (cribrate
 weevil) 318, 557, 561, 641
Otiorynchus ligustici (alfalfa
 snout beetle) 187

Otiorynchus meridionalis
 439, 557, 561
Otiorynchus sulcatus (black vine
 weevil) 320, 365, 418, 464, 538,
 539, 743, 744, 757
Otobius megnini (ear tick)
 8, 12, 368, 373, 443, 465, 515,
 559, 866
Oulema melanopus (cereal leaf beetle)
 18, 137, 153, 168, 192, 208, 221,
 222, 223, 242, 243, 245, 263, 264,
 265, 282, 283, 285, 300, 301, 302,
 344, 345, 346, 368, 369, 392-393,
 420, 443, 466, 467, 490, 493, 596,
 598, 720, 721, 805, 807, 808-809,
 848
Ovalis virgata (a buprestid beetle)
 448
Oxalis spider mite
 (Tetranychina harti)
Oystershell scale
 (Lepidosaphes ulmi)

SLUGS AND SNAILS

Otala vermiculata (a snail)
 632, 801

WEEDS

Onopordum acanthium (Scotch
 thistle) 645, 720
Orobancha ramosa (hemp broomrape)
 387, 764
Oxalis corniculata (creeping
 woodsorrel) 828

P

DISEASES

Parasitica downy mildew
 (Peronospora parasitica)
Pea bacterial blight
 (Pseudomonas pisi)
Peach leaf curl
 (Taphrina deformans)
Peanut early leaf spot
 (Mycosphaerella arachidicola)
Peanut stunt virus
 509
Pea root rot
 (Aphanomyces euteiches)
Pellicularia filamentosa
 See Rhizoctonia solani

Pellicularia (Sclerotium) rolfsii
(southern blight) 1/ 415
Perezia sp. (an insect protozoan)
685
Peronospora manshurica (soybean downy
mildew) 553
Peronospora parasitica (parasitica
downy mildew) 863
Peronospora trifoliorum (alfalfa
downy mildew) 2/ 274, 314, 358
Phaeocryptopus gaumanni (Swiss
needlecast) 3/ 261, 578
Phaseolicola halo blight
(Pseudomonas phaseolicola)
Phoma sp.
774
Phoma cryptomeriae (cryptomeria
needle blight) 839, 846
Phoma medicaginis (spring black stem)
163, 186, 201, 233, 254, 274, 314
Phomopsis juniperovora
(juniperovora twig blight) 609
Phyllosticta sp.
680
Phyllosticta bromeliae (a leaf
spot) 786
Phyllostictina sp. (a rust)
649
Physoderma maydis (corn brown
spot) 455
Phytophthora capsici (capsici
blight) 593
Phytophthora fragariae (red stele
disease) 364
Phytophthora infestans (potato and
tomato late blight) 4/ 485, 509
Phytophthora megasperma (phytophthora
root rot) 314
Phytophthora megasperma var. sojae
(phytophthora root and stem rot)
459, 552
Phytophthora parasitica (buckeye
rot) 437
Phytophthora parasitica var.
nicotianae (black shank) 436, 484
Phytophthora root rot
(Phytophthora megasperma)

Phytophthora root and stem rot
(Phytophthora megasperma var.
sojae)
Pinastris needlecast
(Lophodermium pinastris)
Pine brown spot
(Scirrhia acicola)
Pine needle blister rust
(Coleosporium asterum)
Pine tip blight
(Diplodia pinea)
Piricularia grisea (piricularia leaf
spot) 433
Piricularia leaf spot
(Piricularia grisea)
Plasmodiophora brassicae (club root)
462
Plasmopara viticola (grape downy
mildew) 486
Podosphaera spp.
219, 237, 296
Podosphaera leucotricha (apple
leucotricha powdery mildew) 296
Polygoni powdery mildew
(Erysiphe polygoni)
Polyporus schweinitzii (red butt
rot) 262
Potato blackleg
(Erwinia atrosepica)
Potato and tomato late blight
(Phytophthora infestans)
Potato virus Y
235, 295, 436, 437
Pratylenchus sp.
557, 570
Pratylenchus brachyurus (smooth-
headed lesion nematode) 793
Pseudomonas glycinea (soybean
bacterial blight) 359, 469, 482,
552
Pseudomonas phaseolicola
(phaseolicola halo blight) 509
Pseudomonas pisi (pea bacterial
blight) 415
Pseudomonas syringae (holcus spot,
syringae bacterial blight) 237,
311, 382, 549, 620
Pseudoperonospora cubensis
(cubensis downy mildew) 510, 837
Pseudopeziza jonesii (yellow leaf
blotch) 162
Pseudopeziza medicaginis (common
leaf spot) 293, 358, 433, 517,
716, 792
Puccinia asparagi (asparagus rust)
838

- 1/ Carried as Sclerotium rolfsii
in Vol. 1.
- 2/ Carried as downy mildew
of alfalfa in Vol. 1.
- 3/ Also carried as Adelopus
gaumanni in Vol. 1.
- 4/ Carried as phytophthora late
blight in Vol. 1.

Puccinia chondrillina (skeletonweed rust) 797, 843
Puccinia coronata (crown rust) 252, 335
Puccinia coronata var. avenae (oat crown rust) 357
Puccinia graminis (black stem rust) 264
Puccinia graminis f.sp. avenae (oat stem rust) 369
Puccinia graminis f.sp. tritici (wheat stem rust) 1/ 230, 324, 345, 369, 393, 443, 466
Puccinia horiana (white chrysanthemum rust) 632
Puccinia psidii 722
Puccinia purpurea (sorghum leaf rust) 549, 669, 715
Puccinia recondita (wheat leaf rust) 2/ 185, 230, 252, 273, 312, 336, 357
Puccinia recondita var. tritici
 See Puccinia recondita
Puccinia sorghi (common maize rust) 355, 455, 527, 549, 588, 620
Puccinia tillandsiae 448
Pucciniastrum areolatum 448
Pyrenophora teres (barley net blotch) 293
Pythium spp. (pod and peg rots) 836, 862

INSECTS

Pachnaeus litus (citrus root weevil) 742
Pacific Coast tick
 (Dermacentor occidentalis)
Pacific Coast wireworm
 (Limonius canus)
Pacific rice chinch bug
 (Dimorphopterus pilosus)
Pacific spider mite
 (Tetranychus pacificus)
Packard grasshopper
 (Melanoplus packardii)
Painted maple aphid
 (Drepanaphis acerifoliae)
Paleacrita vernata (spring cankerworm) 42, 136, 240, 299, 321, 441, 777

1/ Also carried as Puccinia graminis (black stem rust) in Vol. 1

2/ Carried as Puccinia recondita var. tritici in Vol. 1.

Pale legume bug
 (Lygus elisus)
 Pales weevil
 (Hylobius pales)
 Pale western cutworm
 (Agrotis orthogonia)
Pangaeus bilineatus (a cydnid bug) 747
Panonychus citri (citrus red mite) 80
Panonychus ulmi (European red mite) 205, 238, 297, 319, 389, 439, 486, 511, 557, 736, 740, 742, 743, 828
Papaipema nebris (stalk borer) 312, 335, 411
Papilio xuthus (citrus swallowtail) 11, 94, 169, 422
Paraclemensia acerifoliella (maple leafcutter) 513, 775, 778
Paraleyrodes naranjiae 764, 765, 798, 799, 844, 847
Paraleyrodes perseae (plumeria whitefly) 646, 647, 799
Paralobesia viteana (grape berry moth) 364
Paraprocephalus tessellatus (woolly alder aphid) 322, 327, 843
Paratriphleps laeviusculus
 (an anthorcid bug) 19, 869
Parectopa hibiscella (hibiscus leafminer) 223
Parlatoria blanchardi (parlatoria date scale) 680
Parlatoria date scale
 (Parlatoria blanchardi)
Parlatoria oleae (olive scale) 220
Parlatoria proteus (an armored scale) 598, 765
 Pavement ant
 (Tetramorium caespitum)
 Pea aphid
 (Acyrtosiphon pisum)
 Peachtree borer
 (Sanninoidea exitiosa)
 Peach twig borer
 (Anarsia lineatella)
 Pea leaf weevil
 (Sitona lineatus)
 Pearleaf blister mite
 (Phytoptus pyri)
 Pear plant bug
 (Lygocoris communis)
 Pear psylla
 (Psylla pyricola)
 Pear rust mite
 (Epitrimerus pyri)
 Pearslug
 (Calioira cerasi)
 Pea weevil
 (Bruchus pisorum)

- Pecan carpenterworm
 (Cossula magnifica)
Pecan leaf phylloxera
 (Phylloxera notabilis)
Pecan nut casebearer
 (Acrobasis nuxvorella)
Pecan phylloxera
 (Phylloxera devastatrix)
Pecan spittlebug
 (Clastoptera achatina)
Pecan weevil
 (Curculio caryae)
Pectinophora gossypiella (pink
 bollworm) 491, 560, 597, 611, 628,
 645, 763, 806, 807, 814
Pediasia caliginosella (corn root
 webworm) 230
Pediasia mutabilis (a pyralid moth)
 697
Pediasia trisecta 1/
 254, 412, 697, 797
Pediculus humanus capitis (head
 louse) 42, 81, 85
Pediobius foveolatus (a eulophid
 wasp) 627, 803, 805
Pegomya hyoscyami (spinach
 leafminer) 318, 339, 838
Penthaleus major (winter grain
 mite) 5, 6, 41, 50, 79, 90, 100,
 185, 697, 835
Pepper weevil
 (Anthonomus eugenii)
Peranabrus scabricollis (coulee
 cricket) 699
Peregrinus maidis (corn planthopper)
 10, 59
Peridroma saucia (variegated cutworm)
 67, 148, 164, 166, 256, 303, 700,
 705, 708, 727, 728, 736, 744.
 Light traps: 154, 171, 194, 210,
 224, 246, 266, 286, 304, 328, 348,
 374-375, 395, 396, 423, 446, 470,
 494, 540, 518-519, 562-563, 581,
 599, 614, 631, 648, 679, 721, 766,
 800, 847
Perilitus coccinellae (a braconid
 wasp) 796
Periodical cicada
 (Magicada septendecim)
Periplaneta americana (American
 cockroach) 823
Periplaneta australasiae (Australian
 cockroach) 823
Periplaneta brunnea (brown cockroach)
 823
Periplaneta fuliginosa (smokybrown
 cockroach) 823, 824
- Petalium schwarzi (an anobiid beetle)
 19
Petrobia latens (brown wheat mite)
 50, 90, 100, 109, 121-122, 134,
 146, 163, 185, 218, 232, 695, 696,
 708, 828
Phalonia hospes (banded sunflower
 moth) 555
Phaidole moerens (an ant)
 19
Phigalia titea (a geometrid moth)
 366
Philaenus spumarius (meadow
 spittlebug) 110, 148, 165, 167,
 188, 255, 276, 294, 315, 337, 359,
 481, 493, 638, 671, 700, 706, 743,
 758
Phlibostroma quadrimaculatum
 (a grasshopper) 721, 810
Phloeosinus rudis (a scolytid beetle)
 850, 895
Phryganidia californica (California
 oakworm) 517
Phthorimaea operculella (potato
 tuberworm) 362, 762, 807, 814, 837
Phyllocoptruta oleivora (citrus rust
 mite) 742
Phyllophaga sp. (a white grub)
 185, 216, 254, 698
Phylloxera devastatrix (pecan
 phylloxera) 260, 279, 297, 319,
 364, 417, 741
Phylloxera notabilis (pecan leaf
 phylloxera) 260, 279
Phytomyza ditmani (a leafminer fly)
 767-770
Phytomyza glabricola
 19, 767-770
Phytomyza ilicicola (native holly
 leafminer) 136, 167, 190, 767-770
Phytomyza ilicis (holly leafminer)
 767-770
Phytomyza opacae
 767-770
Phytomyza platensis
 820
Phytomyza verticillatae
 767-770
Phytomyza vomitoriae
 767-770
Phytomyza winderi
 820
Phytoptus pyri (pearleaf blister
 mite) 1/ 417
Phytoseiulus macropilis
 (a phytoseiid mite) 372
Phytoseius woodburyi
 841, 846

1/ Also carried as Crambus trisectus in Vol. 1.

1/ Carried as Eriophyes pyri in Vol. 1.

- Pickleworm
(Diaphania nitidalis)
- Pieris rapae (imported cabbageworm)
80, 91, 123, 149, 189, 203, 226,
256, 265, 576, 673, 733, 734, 837
- Pimpla turionellae (an ichneumonid
wasp) 812
- Pineapple mealybug
(Dysmicoccus brevipes)
- Pine needle scale
(Chionaspis pinifoliae)
- Pine needle sheathminer
(Zelleria haimbachi)
- Pine root collar weevil
(Hylobius radicis)
- Pine spittlebug
(Aphrophora parallela)
- Pine tortoise scale
(Toumeyella parvicornis)
- Pineus pini (Eurasian pine aphid)
388, 394, 492, 870
- Pink bollworm
(Pectinophora gossypiella)
- Pinkwinged grasshopper
(Atractomorpha sinensis)
- Pinnaspis aspidistrae (fern scale)
91, 760, 766
- Pissodes approximatus (northern
pine weevil) 151, 167, 418, 775,
776
- Pissodes nitidus
496
- Pissodes notatus
582
- Pissodes strobi (white pine weevil)
191, 321, 513, 775, 776
- Pityogenes chalcographus
(a scolytid beetle) 139
- Plagiodera arizonae
578
- Plagiodera versicolora (imported
willow leaf beetle) 240
- Plains false wireworm
(Eleodes opacus)
- Planococcus citri (citrus mealybug)
389
- Plathypena scabra (green cloverworm)
553, 608, 623, 708, 709
- Platycotis vittata (a treehopper)
558
- Platynota flavedana (a tortricid
moth) 257, 363, 738
- Platynota idaeusalis
219, 238, 257, 363, 511
- Platypus cylindrus (a platypodid
beetle) 472
- Platytranychus thujae (a spider
mite) 828
- Plum curculio
(Conotrachelus nenuphar)
- Plumeria whitefly
(Paraleyrodes perseae)
- Plum gouger
(Coccotorus scutellaris)
- Plutella xylostella (diamondback
moth) 10, 43, 203, 223, 303, 445,
468, 678, 733, 734, 799, 844
- Podisus fretus (a stink bug)
747, 750
- Podisus maculiventris (spined soldier
bug) 750
- Podisus modestus
747, 750
- Podosesia syringae (lilac borer)
299, 464
- Polydrusus impressifrons (a weevil)
281
- Polyphagotarsonemus latus (broad
mite) 114, 125, 239, 265, 326,
516, 556, 561, 598, 612, 844
- Popillia japonica (Japanese beetle)
8, 222, 223, 244, 301, 325, 370,
393-394, 421, 444, 467, 491, 515,
537, 560, 597, 611, 627, 763, 807,
812-813, 842, 867, 871
- Porthetria dispar
See Lymantria dispar
- Potato aphid
(Macrosiphum euphorbiae)
- Potato flea beetle
(Epitrix cucumeris)
- Potato leafhopper
(Empoasca fabae)
- Potato stem borer
(Hydroecia micacea)
- Potato tuberworm
(Phthorimaea operculella)
- Prionobrachium sp. or near (a weevil)
786
- Prionus imbricornis (tilehorned
prionus) 736, 739
- Prionus laticollis (broadnecked root
borer) 534
- Pristiphora erichsonii (larch sawfly)
513, 775, 780
- Pristiphora geniculata (mountain ash
sawfly) 366, 464
- Procecidochares alani (a tephritid
fly) 169, 245, 279, 347, 445, 629,
845
- Procecidochares utilis
279
- Prosapia bicincta (twolined
spittlebug) 166
- Prosimulium spp. (black flies)
281, 784
- Prosimulium fontanum
367
- Prosimulium fuscum
92, 192, 207, 241

- Prosimulium magnum
192, 207
- Prosimulium mixtum
92, 192, 207, 241, 281, 371
- Prosimulium rhizophorum
367
- Prosaltella smithi (a eulophid wasp)
94, 245, 445
- Proxys punctulatus (a stink bug)
747, 759
- Pseudacaudella rubida (an aphid)
14, 19
- Pseudaletia unipuncta (armyworm)
65, 161, 183, 199, 215, 229, 251,
271, 291, 309, 333, 347, 353, 381,
409, 429, 477, 501, 504, 517, 525,
547, 569, 603, 619, 653, 654, 688.
Light traps: 138, 154, 171, 194,
210, 224, 246, 266, 286, 304, 328,
348, 374-375, 395, 396, 423, 424,
446-447, 470-471, 494-495, 518-
519, 540-541, 562-563, 581, 599,
614, 631, 648, 679, 721, 766,
800, 847
- Pseudanthonomus validus (currant
fruit weevil) 238
- Pseudaonidia paeoniae (an armored
scale) 320, 327
- Pseudatomoscelis seriatus (cotton
flea hopper) 338, 361, 414, 436,
460, 484, 624, 727
- Pseudaulacaspis cockerelli
(an armored scale) 19, 464, 469
- Pseudaulacaspis pentagona (white
peach scale) 220, 223, 342, 347,
417, 736, 740, 839, 847
- Pseudocneorhinus bifasciatus
(a weevil) 463, 595, 598, 744
- Pseudococcus comstocki (Comstock
mealybug) 93, 490, 597, 611,
644, 797, 841, 866
- Pseudococcus maritimus (grape
mealybug) 341, 346
- Pseudococcus sorghiiellus
81, 85, 487, 493
- Pseudomyrmex gracilis mexicanus
(an ant) 869, 871
- Pseudophilippia quaintancii (a soft
scale) 366, 373, 719, 795, 798
- Pseudoplusia includens (soybean
looper) 459, 483, 591, 606, 622,
639, 671, 709
- Psorophora ciliata (a mosquito)
392, 559, 579
- Psorophora columbiae
392, 514
- Psorophora ferox
343, 392, 643
- Psorophora horrida
343
- Psorophora howardii
19
- Psylla pyricola (pear psylla)
42, 58, 80, 135, 139, 150, 190,
220, 238, 260, 278, 340, 363, 389,
463, 511, 736, 739, 807
- Psylla uncatooides (acacia psyllid)
169
- Pteromalus luzonensis (a pteromalid
wasp) 94, 169
- Ptinus californicus
803, 805
- Ptinus clavipes (brown spider beetle)
81, 85
- Ptinus variegatus
19
- Pulvinaria acericola (a soft scale)
342, 347
- Pulvinaria ericicola
388, 391
- Pulvinaria floccifera
760
- Pulvinaria mesembryanthemi
341
- Pulvinaria psidii (green shield
scale) 799
- Pulvinaria urbicola
19, 487, 493
- Puncturevine seed weevil
(*Microlarinus laerynii*)
- Puncturevine stem weevil
(*Microlarinus lypriformis*)
- Putnam scale
(*Diaspidiotus ancylus*)
- Pygmephorus primitivus
(a pygmephoid mite) 840, 846
- Pyrrhalta luteola (elm leaf beetle)
151, 191, 206, 240, 262, 281, 322,
342, 366, 391, 418-419, 441, 488,
513-514, 535, 558, 595, 642, 675,
731, 732, 775, 779-780
- Pyrrhodium sanguineum (a cerambycid
beetle) 615
- SLUGS AND SNAILS
- Pallifera costaricensis crosseanus
(a slug) 448
- WEEDS
- Polygonatum biflorum (small
solomonseal) 829
- Polygonum sp.
592, 693
- Polygonum aviculare (prostrate
knotweed) 300
- Potentilla argentea (silvery
cinquefoil) 828
- Potentilla fruticosa (shrubby
cinquefoil) 829

Prostrate knotweed
(Polygonum aviculare)
Purple starthistle
(Centaurea calcitrapa)

Q

INSECTS

Quadraspidiotus forbesi (Forbes scale) 865, 871
Quadraspidiotus juglansregiae (walnut scale) 80, 85
Quadraspidiotus perniciosus (San Jose scale) 42, 262, 322, 340, 439, 626, 736, 740, 838

R

DISEASES

Red butt rot
(Polyporus schweinitzii)
Red pine shoot blight
(Sirococcus strobilinus)
Red stele disease
(Phytophthora fragariae)
Relapsing fever
(Borrelia recurrentis)
Reniform nematode
(Rotylenchulus reniformis)
Rhizoctonia root and stem rot
(Rhizoctonia solani)
Rhizoctonia rot
(Rhizoctonia solani)
Rhizoctonia solani (rhizoctonia root and stem rot, rhizoctonia rot, rhizoctonia stem canker) 1/ 294, 317, 608, 793, 836, 862
Rhizoctonia stem canker
(Rhizoctonia solani)
Rose black spot
(Diplocarpon rosae)
Rose mosaic virus
341
Rose powdery mildew
(Sphaerotheca pannosa)
Rotylenchulus reniformis (reniform nematode) 243

1/ Also carried as Pellicularia filamentosa, root or stem rot, solani root and stem rot, or stem canker and damping-off in error in Vol. 1.

INSECTS

Raisin moth
(Cadra figulilella)
Range caterpillar
(Hemileuca oliviae)
Raspberry cane borer
(Oberea bimaculata)
Raspberry sawfly
(Monophadnoides geniculatus)
Redbacked cutworm
(Euxoa ochrogaster)
Redbanded leafroller
(Argyrotaenia velutinana)
Redbanded thrips
(Selenothrips rubrocinctus)
Redheaded pine sawfly
(Neodiprion lecontei)
Red imported fire ant
(Solenopsis invicta)
Redlegged grasshopper
(Melanoplus femurrubrum)
Rednecked peanutworm
(Stegasta bosqueella)
Reticulitermes flavipes (eastern subterranean termite) 81, 93, 102, 124, 152, 207, 676, 785
Rhabdoscelus obscurus (New Guinea sugarcane weevil) 582
Rhagoletis cerasi (a tephritid fly) 680
Rhagoletis completa (walnut husk fly) 486, 511, 577, 595, 641, 718, 741, 794
Rhagoletis fausta (black cherry fruit fly) 319
Rhagoletis indifferens (western cherry fruit fly) 278, 319, 363, 389, 739
Rhagoletis juglandis 625, 630
Rhagoletis mendax (blueberry maggot) 319, 389, 417, 534, 577, 742, 743
Rhagoletis pomonella (apple maggot) 363, 389, 417, 463, 486, 511, 557, 609, 641, 736, 739
Rheumaptera hastata (a geometrid moth) 772
Rhinocyllus conicus (a weevil) 242, 369, 443, 803, 804
Rhipicephalus sanguineus (brown dog tick) 282, 514, 611, 626, 676
Rhizaspidiotus dearnessi (an armored scale) 438, 440
Rhizoecus floridanus (a mealybug) 487, 493
Rhizotrogus majalis (European chafer) 413, 807, 809
Rhizotrogus solstitialis (summer chafer) 600

Rhododendron borer
(Synanthedon rhododendri)
Rhopalosiphum maidis (corn leaf
aphid) 4, 89, 183, 215, 251, 272,
291, 310, 312, 333, 353, 381, 409,
429, 453, 477, 478, 501, 502,
526, 548, 570, 619, 653, 660-661,
669, 755, 791

Rhopalosiphum padi
4-5, 41, 50, 57, 90, 216, 696,
792, 833, 835

Rhopalosiphum rufiabdominalis (rice
root aphid) 695, 696

Rhopobota naevana (blackheaded
fireworm) 261

Rhyacionia buoliana (European pine
shoot moth) 151, 240, 243, 262,
298, 324, 345, 369, 775, 776

Rhyacionia frustrana (Nantucket pine
tip moth) 92, 262, 320, 535, 675,
775, 776

Rhynchophorus cruentatus (a weevil)
823

Rhyncolus sp. (a weevil)
851

Rice root aphid
(Rhopalosiphum rufiabdominalis)

Rice stink bug
(Oebalus pugnax)

Rice weevil
(Sitophilus oryzae)

Rivellia quadrifasciata
(a platystomatid fly) 672

Rocky Mountain wood tick
(Dermacentor andersoni)

Rose aphid
(Macrosiphum rosae)

Rose chafer
(Macroductylus subspinosus)

Rose stem girdler
(Agrilus aurichalceus)

Rosy apple aphid
(Dysaphis plantaginea)

Rough stink bug
(Brochymena quadripustulata)

Roundheaded apple tree borer
(Saperda candida)

Rustic borer
(Xylotrechus colonus)

SLUGS AND SNAILS

Rumina decollata (a subulinid snail)
576, 577

WEEDS

Ranunculus sp. probably repens
(creeping buttercup) 643

Rhamnus cathartica (European
buckthorn) 335

Rhus typhina (staghorn sumac)
829

Ribes hirtellum (hairystem
gooseberry) 829

Rush skeletonweed
(Chondrilla juncea)

S

DISEASES

Scirrhia acicola (pine brown spot)
280

Scleroderris lagerbergii
(lagerbergii canker) 772

Sclerotium rolfsii
See Pellicularia (Sclerotium)
rolfsii

Septoria glume blotch
(Septoria nodorum)

Septoria glycines (soybean brown
spot) 337, 482, 531, 622

Septoria nodorum (septoria glume
blotch) 231, 293

Septoria selenophomoides (a fungus)
894

Septoria tritici (speckled leaf
blotch) 146, 185, 199, 231, 253,
273, 313

Shoestring root rot
(Armillaria mellea)

Sirococcus strobilinus (red pine
shoot blight) 220

Skeletonweed rust
(Puccinia chondrillina)

Smooth-headed lesion nematode
(Pratylenchus brachyurus)

Smooth-spored bunt
(Tilletia foetida)

Soil-borne wheat mosaic virus
133, 146, 162

Sooty blotch
(Cymadothea trifolii)

Sorghum leaf rust
(Puccinia purpurea)

Southern anthracnose
(Colletotrichum trifolii)

Southern blight
(Pellicularia (Sclerotium)
rolfsii)

Southern leaf blight
(Helminthosporium maydis)

Soybean bacterial blight
(Pseudomonas glycinea)

Soybean brown spot
(Septoria glycines)

Soybean cyst nematode
(Heterodera glycines)

Soybean downy mildew
(Peronospora manshurica)
Soybean pod and stem blight
(Diaporthe phaseolorum var. sojae)
Soybean stem canker
(Diaporthe phaseolorum var. caulivora)
Soybean truncata anthracnose
(Colletotrichum dematium var. truncata)
Speckled leaf blotch
(Septoria tritici)
Sphaceloma psidii (guava scab)
722
Sphaerotheca pannosa (rose powdery mildew) 205
Sphenospora kevorkianii (a rust)
496, 894
Spring black stem
(Phoma medicaginis)
Spruce twig blight
(Valsa kunzei var. piceae)
Stem and bulb nematode
(Ditylenchus dipsaci)
Stewart's wilt
(Erwinia stewartii)
St. Louis encephalomyelitis virus
578
Stone fruit bacterial spot
(Xanthomonas pruni)
Stone fruit brown rot
(Monilinia fructicola)
Summer black stem
(Cercospora zebrina)
Swiss needlecast
(Phaeocryptopus gaumanni)
Sycamore anthracnose
(Gnomonia platani)
Syringae bacterial blight
(Pseudomonas syringae)

INSECTS

Saddled prominent
(Heterocampa guttivitta)
Saissetia coffeae (hemispherical scale) 347, 487, 493, 516, 538, 799
Saltmarsh caterpillar
(Estigmene acrea)
Saltmarsh mosquito
(Aedes sollicitans)
San Jose scale
(Quadraspidiotus perniciosus)
Sanninoidea exitiosa (peachtree borer) 123, 363, 439, 511, 744, 863
Saperda candida (roundheaded apple tree borer) 340
Sarcoptes scabiei (itch mite)
137, 785

Satin moth
(Leucoma salicis)
Scaphoideus angustatus (a leafhopper)
19
Scaphoideus atlantus
19
Scaphoideus cinerosus
19
Scaphoideus crassus
19
Scaphoideus curvatus
19
Scaphoideus densus
11
Scaphoideus immistus
19
Scaphoideus incisus
11, 20
Scaphoideus major
20
Scaphoideus melanotus
20
Scaphoideus minor
12, 20
Scaphoideus ochraceus
20
Scaphoideus opalinus
20, 863, 871
Scaphoideus pullus
20
Scaphoideus titanus
12, 20
Scaphytopius magdalensis
(a leafhopper) 297
Scaphytopius nitridus
14
Scapteriscus spp. (mole crickets)
697, 699
Scarlet oak sawfly
(Caliroa quercuscoccineae)
Sceptrothelys grandiclava
(a pteromalid wasp) 20, 113, 115, 803, 806
Schedorhinotermes sp. (a termite)
615, 632
Schizaphis graminum (greenbug)
3-4, 41, 49, 57, 59, 65, 79, 89, 93, 99, 102, 109, 113, 121, 125, 133, 137, 145, 161, 183, 199, 215, 229, 251, 272, 283, 291, 310, 312, 323, 333-334, 336, 354, 381, 409-410, 429, 454, 466, 478, 502-503, 515, 526, 536, 548, 570, 587-588, 619, 653, 661-663, 669, 715, 755, 791, 804, 805, 833, 861
Schizomyia sp. (a cecidomyiid midge)
600
Schizotetranychus sp. (a spider mite) 828
Schoene spider mite
(Tetranychus schoenei)

- Scirtes sp. (a helodid beetle)
67
- Scolytus multistriatus (smaller European elm bark beetle) 20, 114, 193, 262, 321, 416, 418, 441, 489, 595, 610, 642, 646, 675, 677, 718, 864, 872
- Scolytus scolytus (a scolytid beetle)
649
- Scolytus ventralis (fir engraver)
773
- Scotothrips claripennis (a thrips)
95
- Screwworm
(Cochliomyia hominivorax)
- Scyphophorus acupunctatus (a weevil)
20, 512, 517, 595, 864, 871
- Seedcorn maggot
(Hylemya platura)
- Sehirus cinctus cinctus (a cydnid bug) 747
- Selenothrips rubrocinctus (redbanded thrips) 869
- Semanotus juniperi (a cerambycid beetle) 20
- Semanotus ligneus
20
- Semiothisa santaremaria (a geometrid moth) 11
- Sepedon sauteri (a sciomyzid fly)
845
- Sericothrips variabilis (soybean thrips) 797
- Sesamia nonagrioides (a noctuid moth) 895
- Shallot aphid
(Myzus ascalonicus)
- Sheep bot fly
(Oestrus ovis)
- Sheep ked
(Melophagus ovinus)
- Shirahoshizo sp. (a weevil)
722
- Shortnosed cattle louse
(Haematopinus eurysternus)
- Silvanus bidentatus (a cucujid beetle) 718, 721
- Silverspotted skipper
(Epargyreus clarus)
- Simulium spp. (black flies)
192, 263, 300
- Simulium aureum
536
- Simulium decorum
392, 536, 643, 719
- Simulium jenningsi
536, 643
- Simulium meridionale (turkey gnat)
192
- Simulium nyssa
784
- Simulium tuberosum
367, 392, 420, 536
- Simulium venator
784
- Simulium venustum
207, 241, 300, 367, 843
- Simulium verecundum
420, 536
- Simulium vittatum
92, 207, 241, 420, 536, 643
- Sinoxylon crassum (a bostrichid beetle) 496
- Sinoxylon indicum
496
- Sipalinus hypocrita (a weevil)
542
- Sipha flava (yellow sugarcane aphid)
184, 251, 273, 310, 312, 323, 335, 357, 373, 384, 695
- Sirex noctilio (a siricid wasp)
472, 600
- Sitona hispidulus (clover root curculio) 164, 255, 621
- Sitona lineatus (pea leaf weevil)
187, 189, 236, 482, 704, 731, 732
- Sitophilus oryzae (rice weevil)
638
- Small bandedwing grasshopper
(Oedaleus abruptus)
- Smaller European elm bark beetle
(Scolytus multistriatus)
- Smicronyx commixtus (a weevil)
20
- Smokybrown cockroach
(Periplaneta fuliginosa)
- Smynthuroides betae (an aphid)
20, 594, 598
- Solanaceous treehopper
(Antianthe expansa)
- Solenopsis invicta (red imported fire ant) 51, 52, 59, 60, 93, 95, 103, 104, 137, 153, 154, 169, 170, 325, 371, 611, 677, 807, 814-815, 842, 847, 867
- Solenopsis richteri (black imported fire ant) 325, 371
- Solenopsis xyloni (southern fire ant)
102, 104
- Sorghum midge
(Contarinia sorghicola)
- Sorghum webworm
(Celama sorghiella)
- South African emex weevil
(Apion antiquum)
- Southern armyworm
(Spodoptera eridania)
- Southern chinch bug
(Blissus insularis)
- Southern corn rootworm
(Diabrotica undecimpunctata howardi)

- Southern fire ant
(Solenopsis xyloni)
- Southern garden leafhopper
(Empoasca solana)
- Southern green stink bug
(Nezara viridula)
- Southern house mosquito
(Culex quinquefasciatus)
- Southern pine beetle
(Dendroctonus frontalis)
- Southern red mite
(Oligonychus ilicis)
- Southwestern corn borer
(Diatraea grandiosella)
- Southwestern tent caterpillar
(Malacosoma incurvum)
- Soybean looper
(Pseudoplusia includens)
- Soybean thrips
(Sericothrips variabilis)
- Spaelotis clandestina (w-marked cutworm) 493
- Spanogonicus albofasciatus
(whitemarked flea hopper) 552, 561
- Sparganothis pettitana (a tortricid moth) 778
- Sparganothis sulfureana
512, 577
- Sphenophorus callosus
184, 200, 230, 694
- Sphenophorus cicatristriatus
274, 285
- Sphenophorus maidis (maize billbug)
230
- Sphenophorus parvulus (bluegrass billbug) 232, 358, 385, 433, 530, 699, 757, 835
- Sphenophorus venatus vestitus
(hunting billbug) 468
- Spinach leafminer
(Pegomya hyoscyami)
- Spined soldier bug
(Podisus maculiventris)
- Spiny bollworm
(Earias insulana)
- Spirea aphid
(Aphis spiraeicola)
- Spissistilus festinus (threecornered alfalfa hopper) 91, 165, 435, 623, 711, 717, 758,
- Spodoptera eridania (southern armyworm) 639, 729
- Spodoptera exigua (beet armyworm)
114, 234, 360, 414, 445, 552, 576, 590, 607, 624, 671, 674, 708, 717, 723, 725, 744, 833, 837, 838, 864, 871. Light traps: 171, 194, 210, 224, 246, 266, 286, 304, 328, 348, 374, 395, 423, 446, 470, 494, 518, 540, 562, 581, 599, 614, 631, 648, 679, 721, 766, 800
- Spodoptera frugiperda (fall armyworm)
145, 162, 184, 252, 292, 356, 383, 411, 412, 432, 433, 456, 457-458, 459, 481, 504, 506, 508, 525, 528, 530, 531, 550, 551, 553, 569, 570, 572, 573, 589, 590, 591, 604, 605-606, 619, 620, 621, 637, 638, 658, 670, 671, 683, 687-688, 696, 697, 711, 712, 715, 716, 723, 725, 727, 729, 734, 756-757, 758, 759, 765, 791, 792, 833, 834. Light traps: 210, 224, 246, 266, 286, 304, 328, 374, 395, 396, 423, 446, 470, 494, 518, 540, 562-563, 594, 599, 614, 631, 648, 679, 721, 766, 800, 847
- Spodoptera litura (Egyptian cottonworm) 895
- Spodoptera mauritia (lawn armyworm)
895
- Spodoptera ornithogalli (yellowstriped armyworm) 251, 277, 338, 551, 572, 792. Light traps: 138, 154, 171, 194, 209, 210, 224, 246, 266, 286, 304, 328, 348, 374-375, 395, 396, 423, 446, 470, 494, 518, 540, 562, 581, 599, 614, 631, 648, 679, 766, 800
- Spodoptera praefica (western yellowstriped armyworm) 482, 552, 555, 621, 673, 835
- Spotted alfalfa aphid
(Therioaphis maculata)
- Spotted asparagus beetle
(Crioceris duodecimpunctata)
- Spring cankerworm
(Paleacrita vernata)
- Spruce aphid
(Elatobium abietinum)
- Spruce budworm
(Choristoneura fumiferana)
- Spruce needleminer
(Taniva albolineana)
- Spruce spider mite
(Oligonychus ununguis)
- Squash bug
(Anasa tristis)
- Squash vine borer
(Melittia cucurbitae)
- Stable fly
(Stomoxys calcitrans)
- Stalk borer
(Papaipema nebris)
- Stegasta bosqueella (rednecked peanutworm) 460, 712
- Stenamma occidentale (an ant)
20
- Stenoma catenifer (avocado seed moth) 632
- Stephanitis pyrioides (azalea lace bug) 205, 416, 422, 765

Stephanopachys quadricollis
 (a bostrichid beetle) 520
Stethorus punctum (a lady beetle)
 557
Stethorus siphonulus
 844
Stilpnobia salicis
 See Leucoma salicis
Stiretrus anchorago fimbriatus
 (a stink bug) 843
Stomoxys calcitrans (stable fly)
 102, 281, 343, 419, 442, 465,
 489, 536, 559, 626, 643, 676, 781,
 783-784
 Strawberry crown moth
 (Synanthedon bibionipennis)
 Strawberry spider mite
 (Tetranychus turkestanii)
 Strawberry weevil
 (Anthonomus signatus)
 Striped cucumber beetle
 (Acalymma vittatum)
 Striped horse fly
 (Tabanus lineola)
Subcoecineella vigintiquatuoropunctata
 (European alfalfa beetle) 164
 Sugarbeet root maggot
 (Tetanops myopaeformis)
 Sugarbeet wireworm
 (Limonius californicus)
 Sugarcane beetle
 (Euethola rugiceps)
 Sugarcane borer
 (Diatraea saccharalis)
 Summer chafer
 (Rhizotrogus solstitialis)
 Sunflower beetle
 (Zygogramma exclamationis)
 Sunflower moth
 (Homoeosoma electellum)
 Sunflower seed midge
 (Neolasioptera murtfeldtiana)
Surattha indentella (a pyralid moth)
 412, 416
 Sweetpotato vine borer
 (Omphisa anastomosalis)
 Sweetpotato weevil
 (Cylas formicarius elegantulus)
 Sycamore lace bug
 (Corythucha ciliata)
Synanthedon bibionipennis
 (strawberry crown moth) 742
Synanthedon pictipes (lesser
 peachtree borer) 237
Synanthedon rhododendri (rhododendron
 borer) 6, 11, 280
Synanthedon scitula (dogwood borer)
 168
Symnecoccus spirapunctus (a mealybug)
 792, 798

Systema frontalis (a chrysomelid
 beetle) 797

SLUGS AND SNAILS

Spotted garden slug
 (Limax maximus)

WEEDS

Scotch thistle
 (Onopordum acanthium)
 Shrubby cinquefoil
 (Potentilla fruticosa)
 Sicklegod
 (Cassia obtusifolia)
 Silvery cinquefoil
 (Potentilla argentea)
 Small solomonseal
 (Polygonatum biflorum)
Solanum dulcamara (bitter
 nightshade) 827
Sonchus oleraceus (annual
 sowthistle) 445
 Spotted knapweed
 (Centaurea maculosa)
 Staghorn sumac
 (Rhus typhina)

T

DISEASES

Take-all
 (Gaeumannomyces graminis var.
tritici)
Taphrina caerulescens (oak leaf
 blister) 365
Taphrina deformans (peach leaf
 curl) 204
Thelazia rhodesi (an eye nematode)
 761
Tilletia foetida (smooth-spored bunt)
 530
Tylenchorhynchus sp. (a stylet
 nematode) 641
Tylenchulus semipenetrans (citrus
 nematode) 298

INSECTS

Tabanus americanus
 855
Tabanus atratus (black horse
 fly) 1/ 855

1/ Carried as Tabanus atratus
atratus in Vol. 1.

Tabanus atratus atratus
See Tabanus atratus
Tabanus calens
855
Tabanus catenatus
855
Tabanus fulvulus
853, 856
Tabanus fusconervosus
856
Tabanus imitans 1/
856
Tabanus imitans imitans
See Tabanus imitans
Tabanus lineola (striped horse fly)
856
Tabanus melanocerus
856
Tabanus molestus 2/
853, 856
Tabanus molestus mixis
See Tabanus molestus
Tabanus molestus molestus
See Tabanus molestus
Tabanus nigrescens
856
Tabanus nigripes
857
Tabanus nigrovittatus
442, 489, 857
Tabanus pallidescens
857
Tabanus petiolatus
857
Tabanus pumilus
857
Tabanus quinquevittatus
465, 489, 853, 857
Tabanus reinwardtii
857
Tabanus sackeni
853, 857
Tabanus sagax
857
Tabanus sparus 3/
857
Tabanus sparus milleri
See Tabanus sparus

1/ Carried as Tabanus imitans
imitans in Vol. 1.

2/ Carried as Tabanus molestus mixis
and T. molestus molestus in Vol.
1.

3/ Carried as Tabanus sparus
milleri in Vol. 1.

Tabanus subsimilis 1/
853, 857
Tabanus subsimilis subsimilis
See Tabanus subsimilis
Tabanus sulcifrons
858
Tabanus superjumentarius
489
Tabanus trimaculatus
858
Taeniothrips eucharrii
615
Taeniothrips hawaiiensis (Hawaiian
thrips) 10
Tahitian coconut weevil
(Diocalandra taitensis)
Taniva albolineana (spruce
needleminer) 221, 240
Taphrorhynchus villifrons (a scolytid
beetle) 564, 851
Tarnished plant bug
(Lygus lineolaris)
Tarsostenus univittatus (a clerid
beetle) 21
Taxodiodomyia cupressiananassa
(a cecidomyiid midge) 366, 373
Tea scale
(Fiorinia theae)
Teleonemia scrupulosa (lantana lace
bug) 279
Tenebroides mauritanicus (cadelle)
719
Tenspotted lady beetle
(Coelophora pupillata)
Tenuipalpus pacificus (a tenuipalpid
mite) 487
Tessellated scale
(Eucalymnatus tessellatus)
Tetanops myopaeformis (sugarbeet root
maggot) 135, 387, 678, 726
Tetraleurodes mori (mulberry
whitefly) 626, 795
Tetramorium caespitum (pavement ant)
21, 242
Tetranychina harti (oxalis spider
mite) 828
Tetranychus canadensis (fourspotted
spider mite) 829
Tetranychus cinnabarinus (carmine
spider mite) 10, 245, 279, 347,
372, 422, 445, 492, 516, 556, 580,
598, 612, 629, 647, 765, 799, 844
Tetranychus evansi
730
Tetranychus hydrangeae
829
Tetranychus mcdanieli (McDaniel
spider mite) 463, 827, 829

1/ Carried as Tabanus subsimilis
subsimilis in Vol. 1.

- Tetranychus pacificus (Pacific spider mite) 557
Tetranychus schoenei (Schoene spider mite) 829
Tetranychus turkestanii (strawberry spider mite) 295, 829
Tetranychus urticae (twospotted spider mite) 206, 239, 295, 361, 362, 365, 384, 387, 389, 415, 435, 461, 486, 507, 512, 532, 553, 571, 573, 589, 591-592, 712, 727, 733, 745, 829, 839
Tetranychopsis potentilla (a spider mite) 827, 828
Tetrastichus incertus (a eulophid wasp) 515
Tetrastichus julis 222, 242, 245, 264, 265, 282, 285, 300, 302, 323, 327, 344, 346, 368, 369, 373, 388, 392-393, 438, 443, 466, 469, 803, 805, 808, 809
 Texas citrus mite (Eutetranychus banksi)
Therioaphis maculata (spotted alfalfa aphid) 4, 12, 21, 41, 49, 51, 79, 89, 94, 99, 121, 125, 133, 138, 145, 161, 183, 199, 229, 252, 394, 430, 503, 527, 548, 552, 570, 588, 603, 619, 653, 665-666, 669, 755, 791, 833, 841
Therioaphis tiliae 761, 795
 Threecornered alfalfa hopper (Spissistilus festinus)
Thrips nigropilosus (chrysanthemum thrips) 464
Thrips tabaci (onion thrips) 114, 125, 257, 326, 580, 799, 844
 Throat bot fly (Gasterophilus nasalis)
Thyanta calceata (a stink bug) 750
Thyanta pallidovirens accera 750
Thylodrias contractus (odd beetle) 21
Thymelicus lineola (a hesperiid skipper) 385
Thyridopteryx ephemeraeformis (bagworm) 205, 239, 280, 298, 364, 371, 418, 440, 512, 577, 744
 Tilehorned prionus (Prionus imbricornis)
Timberlarkia europaea (an encyrtid wasp) 21
Tinocallis caryaefoliae (black pecan aphid) 364, 440, 674, 794, 838
Tmetothrips subapterus (a thrips) 798
 Tobacco budworm (Heliothis virescens)
 Tobacco flea beetle (Epitrix hirtipennis)
 Tobacco hornworm (Manduca sexta)
 Tobacco thrips (Frankliniella fusca)
 Tomato bug (Cyrtopeltis modestus)
 Tomato hornworm (Manduca quinquemaculata)
 Tomato pinworm (Keiferia lycopersicella)
 Tomato russet mite (Aculops lycopersici)
Tomicus piniperda (a scolytid beetle) 472, 680
Toumeyella cerifera (a soft scale) 21, 341, 347
Toumeyella liriodendri (tuliptree scale) 9, 464, 469, 487, 493
Toumeyella parvicornis (pine tortoise scale) 81, 85, 124, 126
Toumeyella pini 124, 126, 191, 193
Toxoptera aurantii (black citrus aphid) 66, 445
Toxoptera citricida (brown citrus aphid) 556, 561, 629
Trachyrhachys kiowa (a grasshopper) 645, 810
Trialeurodes abutilonea (bandedwing whitefly) 484, 608
Trialeurodes vaporariorum (greenhouse whitefly) 51, 103, 125, 209, 303, 394, 468, 492, 580, 629, 678, 717, 718, 799
Tribolium audax (black flour beetle) 60
Tribolium confusum (confused flour beetle) 841
Trichoderus campestris (a cerambycid beetle) 582
Trichogramma sp. (a mymarid wasp) 279
Trichopepla semivittata (a stink bug) 750
Trichoplusia ni (cabbage looper) 149, 492, 509, 510, 533, 555, 556, 575, 576, 640, 673, 729, 733, 759, 794. Light traps: 177, 194, 210, 224, 246, 266, 286, 304, 328, 348, 374, 395, 423, 446-447, 470, 494-495, 518-519, 540, 562, 581, 599, 614, 631, 648, 679, 721, 766, 800
Trichopoda pennipes var. pilipes (a tachinid fly) 647
Trimerotropis sp. 283, 421
Trimerotropis pallidipennis (large bandedwing grasshopper) 264

Trioxys complanatus (an aphidiid wasp) 51, 94, 138, 841, 846
Trochorhopalus sp. probably strangulatus (a weevil) 786
Trogoderma glabrum (a dermestid beetle) 221
Trogoderma granarium (khapra beetle) 448, 542, 582, 615, 649, 851, 895
 Tropical rat mite (Ornithonyssus bacoti)
Tropidosteptes amoenus (ash plant bug) 299, 780
Tropidosteptes pacificus 92, 95, 760
Tsugaspidiotus pseudomeyeri (an armored scale) 21
 Tuber flea beetle (Epitrix tuberis)
 Tuliptree aphid (Macrosiphum liriodendri)
 Tuliptree scale (Toumeyella liriodendri)
 Turkey gnat (Simulium meridionale)
 Twig girdler (Oncideres cingulata)
 Twolined chestnut borer (Agilus bilineatus)
 Twolined spittlebug (Prosapia bicincta)
 Twomarked treehopper (Enchenopa binotata)
 Twospotted spider mite (Tetranychus urticae)
 Twostriped grasshopper (Melanoplus bivittatus)
Tychius prolixus (a weevil) 21
Tychius soltaui 21
Typhlocyba pomaria (white apple leafhopper) 297, 340, 736, 739
Typhlodromus pyri (a phytoseiid mite) 740
Tyria jacobaeae (cinnabar moth) 803
Tyrophagus neiswanderi (an acarid mite) 21

SLUGS AND SNAILS

Theba pisana (white garden snail) 448, 600, 632

WEEDS

Trumpet creeper (Campsis radicans)

U

DISEASES

Uredo sp. (a rust) 850, 894
Uredo sp. near ficina 472
Uredo sp. near nidularia 582
Uredo behnickiana 496, 649
Uromyces phaseoli var. typica (bean rust) 556
Uromyces striatus var. medicaginis (alfalfa rust) 506, 716
Ustilago avenae (oat loose smut) 357, 384, 530, 589
Ustilago maydis (common smut) 334, 410, 479, 527, 588
Ustilago nuda (loose smut) 216, 230, 253, 292, 312, 336

INSECTS

Udea profundalis (false celery leaf tier) 794, 837
Umbonia crassicornis (a treehopper) 745
Unaspis citri (citrus snow scale) 742
Unaspis euonymi (euonymus scale) 66, 67, 341, 389, 512, 577, 760, 766
Urophora affinis (a tephritid fly) 466
Urophora sirunaseva 466
Utetheisa ornatrix bella (bella moth) 818
Utetheisa pulchella (an arctiid moth) 817-819

V

DISEASES

Valsa kunzei var. piceae (spruce twig blight) 534, 760
Venturia inaequalis (apple scab) 149, 189, 204, 219, 237, 257, 278, 280, 296, 318, 340, 363, 417, 439
Verticillium albo-atrum (verticillium wilt) 608, 645, 862
Verticillium wilt (Verticillium albo-atrum)

Volutella blight
(Volutella buxi)
Volutella buxi (volutella blight)
534

INSECTS

Vanda thrips
(Dichromothrips corbetti)
Variable oakleaf caterpillar
(Heterocampa manteo)
Variegated cutworm
(Peridroma saucia)
Vegetable leafminer
(Liriomyza munda)
Vegetable weevil
(Listroderes costirostris
obliquus)
Velataspis dentata (an armored
scale) 6, 12
Velvetbean caterpillar
(Anticarsia gemmatilis)
Vespula vulgaris (a vespid wasp)
492, 516, 870
Vexans mosquito
(Aedes vexans)
Vinsonia stellifera (a soft scale)
851
Virginiacreeper leafhopper
(Erythroneura ziczac)
Vitacea polistiformis (grape root
borer) 839, 863, 871

WEEDS

Velvetleaf
(Abutilon theophrasti)

W

DISEASES

Watermelon mosaic virus
510
Wheat leaf rust
(Puccinia recondita)
Wheat powdery mildew
(Erysiphe graminis f.sp. tritici)
Wheat root and crown rot
(Helminthosporium sativum)
Wheat spindle streak mosaic virus
146, 162, 185, 200, 293
Wheat stem rust
(Puccinia graminis f.sp. tritici)
Wheat streak mosaic virus
146, 185, 232, 253, 273
White chrysanthemum rust
(Puccinia horiana)

White pine blister rust
(Cronartium ribicola)

INSECTS

Walkingstick
(Diapheromera femorata)
Walnut caterpillar
(Datana integerrima)
Walnut husk fly
(Rhagoletis completa)
Walnut scale
(Quadraspidiotus juglansregiae)
Western bean cutworm
(Loxagrotis albicosta)
Western blackheaded budworm
(Acleris gloverana)
Western black widow spider
(Latrodictus hesperus)
Western cherry fruit fly
(Rhagoletis indifferens)
Western corn rootworm
(Diabrotica virgifera)
Western flower thrips
(Frankliniella occidentalis)
Western grapeleaf skeletonizer
(Harrisina brillians)
Western oak looper
(Lambdina fiscellaria somnaria)
Western spruce budworm
(Choristoneura occidentalis)
Western tent caterpillar
(Malacosoma californicum)
Western yellowstriped armyworm
(Spodoptera praefica)
West Indian sugarcane root borer
(Diaprepes abbreviatus)
West Indian sweetpotato weevil
(Euscepes postfasciatus)
Wheat curl mite
(Eriophyes tulipae)
Wheat head armyworm
(Faronta diffusa)
Wheat stem maggot
(Meromyza americana)
Wheat stem sawfly
(Cephus cinctus)
White apple leafhopper
(Typhlocyba pomaria)
White fir needleminer
(Epinotia meritana)
Whitemarked fleahopper
(Spanogonicus albofasciatus)
Whitemarked tussock moth
(Orgyia leucostigma)
White peach scale
(Pseudaulacaspis pentagona)
White pine aphid
(Cinara strobi)
White pine sawfly
(Neodiprion pinetum)

White pine weevil
(Pissodes strobi)
Winter grain mite
(Penthaleus major)
Winthemia spp. (tachinid flies)
656
W-marked cutworm
(Spaelotis clandestina)
Woolly alder aphid
(Paraprociophilus tessellatus)
Woolly apple aphid
(Eriosoma lanigerum)
Woolly whitefly
(Aleurothrixus floccosus)

SLUGS AND SNAILS

White garden snail
(Theba pisana)

WEEDS

Waterhyacinth
(Eichornia crassipes)
Wetted thistle
(Carduus crispus)

X

DISEASES

Xanthomonas alfalfae (alfalfa
bacterial leaf spot) 134
Xanthomonas citri (citrus canker)
615
Xanthomonas phaseoli var. sojense
(bacterial pustule) 459, 552, 622
Xanthomonas pruni (stone fruit
bacterial spot) 203, 237, 417
Xanthomonas tardicrescens (iris
bacterial leaf spot) 341
Xiphinema americanum (American dagger
nematode) 641

INSECTS

Xiphydria maculata (a xiphydriid
wasp) 21
Xylastodoris luteolus (a royal palm
bug) 744, 745
Xyleborus affinis (a scolytid beetle)
718, 721
Xyleborus validus
610, 613
Xylocopa virginica (carpenter bee)
208, 344
Xylosandrus compactus (black twig
borer) 303, 558, 561, 642, 646,
761, 765, 795, 864, 872

Xyloterinus politus (a scolytid
beetle) 610
Xylotrechus sp. near phidius
(a cerambycid beetle) 786
Xylotrechus colonus (rustic borer)
863
Xylotrechus nauticus
50
Xystrocera sp. (a cerambycid
beetle) 542

Y

DISEASES

Yellow leaf blotch
(Pseudopeziza jonesii)

INSECTS

Yellowfever mosquito
(Aedes aegypti)
Yellowheaded fireworm
(Acleris minuta)
Yellowmargined leaf beetle
(Microtheca ochroloma)
Yellow rose aphid
(Acyrtosiphon porosum)
Yellowstriped armyworm
(Spodoptera ornithogalli)
Yellow sugarcane aphid
(Sipha flava)


WEEDS

Yellow starthistle
(Centaurea solstitialis)

Z

INSECTS

Zelleria haimbachi (pine needle
sheathminer) 320, 464
Zimmerman pine moth
(Dioryctria zimmermani)
Zygogramma exclamatonis (sunflower
beetle) 317, 727



UNITED STATES DEPARTMENT OF AGRICULTURE
Animal and Plant Health Inspection Service
Hyattsville, Maryland 20782

Official Business
Penalty for Private Use, \$300

POSTAGE /
U.S. DEP
AGRI
A

NATIONAL AGRICULTURAL LIBRARY



1023142683

